

Printing date 09/07/2022

Version number 96

Reviewed on 07/22/2022

#### 1 Identification

- · Product identifier
  - · Product number PZ520
  - · Trade name: AQUATECH WHITE PASTE
    - · Application of the substance / the mixture For professional use
- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

IVM Chemicals Srl

Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

### 2 Hazard(s) identification

· Classification of the substance or mixture

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

- · Label elements
  - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

2-methyl-2H-isothiazol-3-one

· Hazard statements

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0

Fire = 1

Reactivity = 0



Printing date 09/07/2022 Version number 96 Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
  - · Description: Mixture: consisting of the following components.

· Dangero	ous components:	
77-99-6	propylidynetrimethanol	≥0.1-<0.5%
	Toxic to Reproduction 2, H361	
	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.1%
	<ul> <li>Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311;         Acute Toxicity - Inhalation 3, H331</li> <li>Skin Corrosion 1B, H314; Eye Damage 1, H318</li> <li>Sensitization - Skin 1, H317</li> </ul>	

#### 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
  - · Most important symptoms and effects, both acute and delayed Allergic reactions

For symptoms and effects caused by substances, refer to Section 11.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

#### Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

Do not use a jet water stream as it may scatter and spread fire.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

(Contd. on page 3)



Printing date 09/07/2022

Version number 96

Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 2)

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	30 mg/m³
25322-69-4	Propane-1,2-diol, propoxylated	30 mg/m³
· PAC-2:		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	330 mg/m³
25322-69-4	Propane-1,2-diol, propoxylated	330 mg/m <sup>3</sup>
· PAC-3:		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	2,000 mg/m³
25322-69-4	Propane-1,2-diol, propoxylated	2,000 mg/m³

## 7 Handling and storage

- · Handling:
  - · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Keep respiratory protective device available.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
  - · Storage:
    - · Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 09/07/2022

Version number 96

Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 3)

· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

### · Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
  - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Pregnant women should strictly avoid inhalation or skin contact.

· Breathing equipment:

Short term filter device:



Suitable respiratory protective device recommended.

Filter A

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
  - · General Information
    - · Appearance:

· Form: Fluid

· Color: According to product specification

(Contd. on page 5)



Printing date 09/07/2022 Version number 96 Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

	(Cor	ntd. of page
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Mixture is non-polar/aprotic.	
	Range: 7 - 9	
· Change in condition		
· Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	100 °C (212 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	>370 °C (>698 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
$\cdot$ Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0 hPa	
· Density (+/- 0,03) at 20 °C (68 °F):	2.101 g/cm³ (17.533 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water	): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic at 20 °C (68 °F):	30 s (ISO 6 mm)	
· Oxidising properties:	N.A.	
· Solvent content:		
· Water:	28.0 %	
· VOC content:	0.08 %	
	1.6 g/l / 0.01 lb/gal	
· Solids content:	71.6 %	
Other information (HAPS)		
112-34-5 2-(2-butoxyethoxy)ethanol		<0.19
Other information	No further relevant information available.	•

## 10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- · Chemical stability The product is stable in normal conditions of storage and use recommended
  - · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 6)



Printing date 09/07/2022

Version number 96

Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 5)

- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

· LD/	· LD/LC50 values that are relevant for classification:		
77-99-6 p	77-99-6 propylidynetrimethanol		
Oral	LD50	14,700 mg/kg (mouse)	
Dermal	LD50	10,001 mg/kg (mouse)	
2682-20-4	2-methyl-	2H-isothiazol-3-one	
Oral	LD50	200 mg/kg (mouse)	
Dermal	LD50	400 mg/kg (mouse)	
Inhalative	LC50/4 h	0.53 mg/l (mouse)	

- · Primary irritant effect:
  - · on the skin: No irritant effect.
  - on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

Irritant

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· Carcinogenic categories

Titanium dioxide

IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in experimental rats exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium is bound to other materials, such as paint."

· IA	RC (International Agency for Research on Cancer - Cl. 1 and 2)	
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	2B - DUST
· NTP (National Toxicology Program)		
None of the	ingredients is listed.	

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

· Toxicity

· Aquatic toxicity:

## 77-99-6 propylidynetrimethanol

EC50 1,001 mg/l (algae) (72h)

13,000 mg/l (daphnia) (48h)

LC50 (96h) 1,001 mg/l (Fish)

· Persistence and degradability No further relevant information available.

(Contd. on page 7)



Printing date 09/07/2022 Version number 96 Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 6)

#### · Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
  - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

IINI Maranda a a	
UN-Number	AL C. P. LI
· DOT, ADN, IMDG, IATA	Not applicable
· Note	Check viscosity and flash point at section 9
UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not applicable
Packing group	
· DOT, IMDG, IATA	Not applicable
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	· II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

#### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

(Contd. on page 8)



Printing date 09/07/2022 Version number 96 Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 7)

#### · Various regulations

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

< 0.1%

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Chemicals known to cause cancer:
 Titanium dioxide only in bound form

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6

only for Dust 50-74.99%

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6

50-74.99%

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
  - Date of preparation / last revision 09/07/2022 / 95
  - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)



Printing date 09/07/2022

Version number 96

Reviewed on 07/22/2022

Product number PZ520

Trade name: AQUATECH WHITE PASTE

(Contd. of page 8)

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Toxicity - Oral 3: Acute toxicity - Category 3
Skin Corrosion 1B: Skin corrosion/irritation - Category 1B
Eye Damage 1: Serious eye damage/eye irritation - Category 1
Sensitization - Skin 1: Skin sensitisation - Category 1

Toxic to Reproduction 2: Reproductive toxicity – Category 2

· Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site

INRS Fiche Toxicologique

IARC International agency for research on cancer

\* \* Data compared to the previous version altered.

US