

Printing date 09/14/2022

Version number 148

Reviewed on 07/19/2022

1 Identification

- · Product identifier
 - · Product number TW18
 - Trade name: <u>CLEAR WB SELF SEALER 5SH</u> • Application of the substance / the mixture For professional use

\cdot Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* IVM Chemicals Srl Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

• Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Not applicable
 - · Hazard pictograms Not applicable
 - · Signal word Not applicable
 - · Hazard statements Not applicable

· Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 0\\ Fire = 1\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: FireFIREImage: FireReactivityImage: O

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

| 111-76-2 2-butoxyethanol | 5-9.99% |
|--|-----------------------|
| Acute Toxicity - Oral 4, H302; Acute Toxicity - Dern H312; Acute Toxicity - Inhalation 4, H332; Skin Irri H315; Eye Irritation 2A, H319 Flammable Liquids 4, H227 | nal 4, titation 2, |
| 107-98-2 1-methoxy-2-propanol | 2.5-4.99% |
| Flammable Liquids 3, H226 Specific Target Organ Toxicity - Single Exposure 3, | , H336 |
| 112-34-5 2-(2-butoxyethoxy)ethanol | 0.5-1% |
| () Eye Irritation 2A, H319 | |



Reviewed on 07/19/2022

Printing date 09/14/2022

Version number 148

Product number TW18 Trade name: CLEAR WB SELF SEALER 5SH

| | | (Contd. of page 1) |
|------------|--|--------------------|
| 34590-94-8 | (2-methoxymethylethoxy)propanol | <1% |
| | Flammable Liquids 4, H227 | |
| 68439-49-6 | c16-18 alcohols ethoxylated | <0.5% |
| | Acute Toxicity - Oral 3, H301 Eye Damage 1, H318 | |
| 55965-84-9 | a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) | ≥0.00025-<0.0015% |
| | Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 2, H310; Acute Toxicity - Inhalation 2, H330 Skin Corrosion 1B, H314; Eye Damage 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) | |
| | Sensitization - Skin 1A, H317 | |

4 First-aid measures

· Description of first aid measures

- · General information:
 - No special measures required.
- personal protective equipment for first aid responders is recommended. (please see section 8) • After inhalation: Supply fresh air: consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eve contact: Rinse opened eve for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed
- For symptoms and effects caused by substances, refer to Section 11.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents:
- Do not use a jet water stream as it may scatter and spread fire.
- · Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Nitrogen oxides (NOx)
- Carbon monoxide (CÓ)
- Advice for firefighters
- Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

⁻US



Reviewed on 07/19/2022

| V | Π | n | Cł | e | mic | als | 5 | |
|-----|------|------|-------|---|-----|-----|---|--|
| 100 | & po | i in | 10.24 | | - | - | - | |
| | | | _ | | | | | |

Printing date 09/14/2022

Version number 148

| Product number | TW18 |
|----------------|--------------------------|
| Trade name: | CLEAR WB SELF SEALER 5SH |

| | | (Contd. of page |
|------------|--|-----------------------|
| | ntal precautions: lenty of water. | |
| | to enter sewers/ surface or ground water. | |
| | nd material for containment and cleaning up: | |
| | liquid-binding material (sand, diatomite, acid binders, universal binders, | sawdust). |
| | taminated material as waste according to Section 13. | |
| | o other sections us substances are released. | |
| • | 7 for information on safe handling. | |
| | 8 for information on personal protection equipment. | |
| | 13 for disposal information. | |
| · PAC-1: | Action Criteria for Chemicals | |
| | 2-butoxyethanol | 60 ppm |
| | 1-methoxy-2-propanol | 100 ppm |
| 7631-86-9 | silicon dioxide, chemically prepared | 18 mg/m ³ |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 30 ppm |
| 34590-94-8 | (2-methoxymethylethoxy)propanol | 150 ppm |
| 68439-49-6 | 68439-49-6 c16-18 alcohols ethoxylated | |
| 68439-49-6 | 6 c16-18 alcohols ethoxylated | |
| · PAC-2: | | |
| 111-76-2 | 2-butoxyethanol | 120 ppm |
| 107-98-2 | 1-methoxy-2-propanol | 160 ppm |
| 7631-86-9 | silicon dioxide, chemically prepared | 740 mg/m |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 33 ppm |
| 34590-94-8 | (2-methoxymethylethoxy)propanol | 1700* ppr |
| | c16-18 alcohols ethoxylated | 42 mg/m ³ |
| 68439-49-6 | 49-6c16-18 alcohols ethoxylated42 | |
| • PAC-3: | | |
| | 2-butoxyethanol | 700 ppm |
| | 2 1-methoxy-2-propanol 660 | |
| | silicon dioxide, chemically prepared | 4,500 mg/m |
| | 2-(2-butoxyethoxy)ethanol | 200 ppm |
| | (2-methoxymethylethoxy)propanol | 9900** ppm |
| | c16-18 alcohols ethoxylated | 250 mg/m³ |
| 68120-10-6 | c16-18 alcohols ethoxylated | 250 mg/m ³ |

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.
 - In cases where there is no reported expiration date , it means that the product must be used within 8 months.

Version number 148

Reviewed on 07/19/2022

Printing date 09/14/2022

Chemicals

ers technolo

Trade name: CLEAR WB SELF SEALER 5SH

(Contd. of page 3)

- Take on temperature greater than 5 ° C
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

| A | t this time, the other constituents have no known exposure limits. |
|-------|--|
| 111-: | 76-2 2-butoxyethanol |
| PEL | Long-term value: 240 mg/m³, 50 ppm Skin |
| REL | Long-term value: 24 mg/m³, 5 ppm Skin |
| TLV | Long-term value: 20 ppm BEI, A3 |
| 107-9 | 98-2 1-methoxy-2-propanol |
| | Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm |
| TLV | Short-term value: 100 ppm Long-term value: 50 ppm A4 |
| 112-: | 34-5 2-(2-butoxyethoxy)ethanol |
| TLV | Long-term value: 10* ppm *Inhalable fraction and vapor |
| 3459 | 0-94-8 (2-methoxymethylethoxy)propanol |
| PEL | Long-term value: 600 mg/m³, 100 ppm Skin |
| REL | Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin |
| TLV | Long-term value: NIC-50 ppm (Skin) |
| | · Ingredients with biological limit values: |
| 111-: | 76-2 2-butoxyethanol |
| | 200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis) |
| | • Additional information: The lists that were valid during the creation were used as basis |

(Contd. on page 5)



Printing date 09/14/2022

Safety Data Sheet acc. to OSHA HCS

Version number 148

Reviewed on 07/19/2022

Product number TW18

Trade name: CLEAR WB SELF SEALER 5SH

(Contd. of page 4)

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information · Appearance: Fluid · Form: · Color: According to product specification · Odor: Characteristic · Odor threshold: Not determined. · pH-value: Mixture is non-polar/aprotic. Range: 7 - 9 · Change in condition · Melting point/Melting range: Undetermined. 100 °C (212 °F) · Boiling point/Boiling range: 95 °C (203 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): >300 °C (>572 °F) · Ignition temperature: Not determined. · Decomposition temperature: Product is not selfigniting. · Auto igniting: · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: 1.1 Vol % · Lower: ~20 Vol % · Upper: 12 hPa (9 mm Hg) • Vapor pressure at 20 $\bullet C$ (68 $\bullet F$): · Density (+/- 0.03) at 20 °C (68 °F): 1.016 g/cm3 (8.479 lbs/gal) Not determined. · Relative density Not determined. · Vapor density · Evaporation rate Not determined. · Solubility in / Miscibility with · Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. (Contd. on page 6)



Printing date 09/14/2022

Version number 148

Reviewed on 07/19/2022

Product number TW18

Trade name: CLEAR WB SELF SEALER 5SH

| | | (Contd. of page 5 |
|--------------------------------------|--|-------------------|
| · Viscosity: | | |
| · Dynamic: | Not determined. | |
| • <i>Kinematic at 20 •C (68 •F):</i> | 60 s (ISO 6 mm) | |
| • Oxidising properties: | N.A. | |
| · Solvent content: | | |
| · Water: | 69.8 % | |
| · VOC content: | 10.27 % | |
| | 104.4 g/l / 0.87 lb/gal | |
| · Solids content: | 19.8 % | |
| · Other information (HAPS) | | |
| 112-34-5 2-(2-butoxyethoxy)ethanol | | 0.5-1% |
| • Other information | No further relevant information available. | · |

10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- **Chemical stability** The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

| · LD/LC50 values | that are | relevant j | for | classification: |
|------------------|----------|------------|-----|-----------------|
|------------------|----------|------------|-----|-----------------|

ATE (Acute Toxicity Estimate) Oral LD50 15,525 mg/kg Darmal LD50 10,000 mg/kg

| Dermal | 1 | 18,333 mg/kg (rab) |
|------------|----------|--------------------|
| Inhalative | LC50/4 h | 183 mg/l (mouse) |

| 111-76-2 | 2-butoxye | thanol |
|------------|------------|----------------------|
| Oral | LD50 | 1,200 mg/kg (ATE) |
| | | 1,480 mg/kg (mouse) |
| Dermal | LD50 | 1,100 mg/kg (rab) |
| Inhalative | LC50/4 h | 11 mg/l (mouse) |
| 107-98-2 | 1-methoxy | -2-propanol |
| Oral | LD50 | 4,016 mg/kg (mouse) |
| Dermal | LD50 | 5,001 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 5,001 mg/l (mouse) |
| 112-34-5 | 2-(2-butox | yethoxy)ethanol |
| Oral | LD50 | 6,600 mg/kg (mouse) |
| Dermal | LD50 | 2,764 mg/kg (rabbit) |
| | | (Contd. on page 7) |

US



Version number 148

Reviewed on 07/19/2022

Product number TW18 Trade name: CLEAR WB SELF SEALER 5SH

Printing date 09/14/2022

| | | (Contd. of page 6 |
|------------------------|----------------------------|---|
| 34590-94 | -8 (2-metl | hoxymethylethoxy)propanol |
| Oral | LD50 | 5,135 mg/kg (mouse) |
| Dermal | LD50 19,020 mg/kg (rabbit) | |
| · Pri | mary irrita | nt effect: |
| | on the skin | n: No irritant effect. |
| | on the eye: | : No irritating effect. |
| · Ser | sitization: | No sensitizing effects known. |
| · Additi | onal toxico | logical information: |
| The p | roduct is n | not subject to classification according to internally approved calculation method |
| for pre | parations: | |
| When | used and | I handled according to specifications, the product does not have any harmfu |
| effect | s accordinę | g to our experience and the information provided to us. |
| Safety | [,] data shee | et available on request. |
| · Ca | rcinogenic | categories |
| | IARC (Inte | ernational Agency for Research on Cancer - Cl. 1 and 2) |
| • | he ingredie | ents is listed. |
| | | |
| None of t | NTP (Natio | onal Toxicology Program) |
| None of t | | onal Toxicology Program) ents is listed. |
| None of t None of t | he ingredie | |

| Toxicity | |
|-------------|---|
| • Aquatic t | oxicity: |
| 111-76-2 2- | butoxyethanol |
| EC50 | 101 mg/l (daphnia) (24 h) |
| LC50 (96h) | 101 mg/l (Fish) |
| 107-98-2 1- | methoxy-2-propanol |
| EC50 | 21,100 mg/l (daphnia) (48 h) |
| LC50 (96h) | 6,812 mg/l (Fish) |
| 112-34-5 2- | (2-butoxyethoxy)ethanol |
| EC50 | 1,001 mg/l (daphnia) (48 h) |
| LC50 (96h) | 1,300 mg/l (Leuciscus idus melanotus) |
| 34590-94-8 | (2-methoxymethylethoxy)propanol |
| EC50 | 970 mg/l (algae) (72 h) |
| | 1,919 mg/l (daphnia) (48 h) |
| LC50 (96h) | 1,001 mg/l (Fish) |
| 55965-84-9 | a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2 methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) |
| EC50 | 0.027 mg/l (algae) (72 h) |
| | 0.16 mg/l (daphnia) (48 h) |
| LC50 (96h) | 0.19 mg/l (Fish) |
| Persistence | e and degradability No further relevant information available. |
| · Substanc | es Easily biodegradable |
| 111-76-2 2 | -butoxyethanol . |
| I | (Contd. on page |



Reviewed on 07/19/2022

Printing date 09/14/2022

Version number 148

Product number TW18

Trade name: CLEAR WB SELF SEALER 5SH

(Contd. of page 7)

107-98-2 1-methoxy-2-propanol .

- 112-34-5 2-(2-butoxyethoxy)ethanol.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.

· Additional ecological information:

- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Hand over to hazardous waste disposers.
- Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|---|--|
| · DOT, ADN, IMDG, IATA | Not applicable |
| · Note | Check viscosity and flash point at section 9 |
| <i>UN proper shipping name</i> · <i>DOT, ADN, IMDG, IATA</i> | Not applicable |
| Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Not applicable |
| Packing group | |
| · DOT, IMDG, IATA | Not applicable |
| Environmental hazards: | |
| · Marine pollutant: | No |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| UN "Model Regulation": | Not applicable |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

(Contd. on page 9)

US



Printing date 09/14/2022

Version number 148

Reviewed on 07/19/2022

Product number TW18

| i iouuci number | 1 11 10 |
|-----------------|--------------------------|
| Trade name: | CLEAR WB SELF SEALER 5SH |

| | (0 | Contd. of p | bage 8 |
|-------------|---|-------------|--------|
| | regulations | | |
| · SAR | - | | |
| | ection 355 (extremely hazardous substances): | | |
| | e ingredients is listed. | | |
| | ection 313 (Specific toxic chemical listings) : | | |
| | 2-butoxyethanol | 5-9. | |
| | 2-(2-butoxyethoxy)ethanol | 0.5- | |
| 1344-28-1 | aluminium oxide | <0.1 | % |
| · TSC | A (Toxic Substances Control Act): | | |
| All compor | ents have the value ACTIVE. | | |
| · H | azardous Air Pollutants | | |
| None of the | e ingredients is listed. | | |
| · Prop | osition 65 | | |
| · C | hemicals known to cause cancer: | | |
| None of the | e ingredients is listed. | | |
| · C | hemicals known to cause reproductive toxicity for females: | | |
| 1589-47-5 | 2-methoxypropanol | <0. | 01% |
| · C | hemicals known to cause reproductive toxicity for males: | | |
| None of the | e ingredients is listed. | | |
| · (| hemicals known to cause developmental toxicity: | | |
| None of the | e ingredients is listed. | | |
| · Carc | inogenic categories | | |
| · E | PA (Environmental Protection Agency) | | |
| 111-76-2 | 2-butoxyethanol | VL 5-9. | 99% |
| · 7 | LV (Threshold Limit Value) | | |
| 111-76 | -2 2-butoxyethanol | | AЗ |
| 112945-52 | -5 silicon dioxide | | A4 |
| 1344-28 | -1 aluminium oxide | | A4 |
| | IOSH-Ca (National Institute for Occupational Safety and Health) | | |
| None of the | e ingredients is listed. | | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl

· Contact: See emergency phone

- · Date of preparation / last revision 09/14/2022 / 147
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

us

ivm Chemicals

Printing date 09/14/2022

Safety Data Sheet acc. to OSHA HCS

Version number 148

Reviewed on 07/19/2022

Product number TW18 Trade name: CLEAR WB SELF SEALER 5SH

(Contd. of page 9) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids - Category 3 Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Dermal 2: Acute toxicity - Category 2 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Skin Irrititation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1A: Skin sensitisation – Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Sources REGULATION (EC) № 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer

 \cdot * Data compared to the previous version altered.