

Chemicals

acc. to OSHA HCS

Printing date 09/14/2022

Version number 101

Safety Data Sheet

Reviewed on 09/09/2022

1 Identification

- · Product identifier
 - Product number TXW13

```
• Trade name: <u>WB HARDENER</u>
• Application of the substance / the mixture For professional use
```

· Details of the supplier of the safety data sheet

- *Manufacturer/Supplier:* IVM Chemicals Srl Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

\cdot Classification of the substance or mixture

Flammable Liquids 4H227 Combustible liquid.Flam. Liq. 4Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

Aquatic Acute 3 Aquatic Chronic 3 H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lasting effects.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling:
- aliphatic polyisocyanate
- · Hazard statements
- H227 Combustible liquid. Flam. Liq. 4
- H332 Harmful if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H402 Harmful to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P210 Keep away from flames and hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P405 Store locked up.

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/ P501 international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE 2 Fire = 2Reactivity = 0REACTIVITY 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous	components:	
160994-68-3	aliphatic polyisocyanate	50-74.99%
	Acute Toxicity - Inhalation 4, H332; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 Aquatic Acute 3, H402; Aquatic Chronic 3, H412	
822-06-0	hexamethylene diisocyanate	<0.1%
	 Acute Toxicity - Inhalation 1, H330 Sensitization - Respiratory 1, H334 Acute Toxicity - Oral 4, H302; Skin Irrititation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 	

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- personal protective equipment for first aid responders is recommended. (please see section 8)
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
 - Most important symptoms and effects, both acute and delayed Allergic reactions
 - For symptoms and effects caused by substances, refer to Section 11.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

US



Safety Data Sheet acc. to OSHA HCS

Version number 101

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents:
- Do not use a jet water stream as it may scatter and spread fire.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx)

Carbon monoxide (CO)

· Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

·	Personal precautions, protective equipment and emergency procedures
	Wear protective equipment. Keep unprotected persons away.
	Ensure adequate ventilation
	Keep away from ignition sources
	Environmental precautions:
	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
	Methods and material for containment and cleaning up:
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sa
	Dispose contaminated material as waste according to Section 13.
	Ensure adequate ventilation.
	Reference to other sections
	See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

• PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

sawdust).

US



Safety Data Sheet acc. to OSHA HCS

Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: **WB HARDENER**

(Contd. of page 3)

- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.
 - In cases where there is no reported expiration date, it means that the product must be used within 8 months.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
 - · Components with limit values that require monitoring at the workplace:
 - The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
 - At this time, the remaining constituent has no known exposure limits.
 - 822-06-0 hexamethylene diisocyanate
 - REL Long-term value: 0.035 mg/m³, 0.005 ppm Ceiling limit value: 0.14* mg/m3, 0.02* ppm *10-min
 - TLV Long-term value: 0.005 ppm BEI

· Ingredients with biological limit values:

822-06-0 hexamethylene diisocyanate

- BEI 15 µg/g creatinine
 - Medium: urine
 - Time: end of shift
 - Parameter: 1.6-Hexamethylene diamine with hydrolysis (nonspecific)
 - · Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
 - · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - · Breathing equipment:
 - Short term filter device:



Suitable respiratory protective device recommended.

Filter A

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 4)

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

· General Information		
· Appearance: · Form:	Fluid	
· Form: · Color:		
· Color: · Odor:	According to product specification Characteristic	
• Oaor: • Odor threshold:	Not determined.	
· Odor inresnota:	Noi delemmed.	
· pH-value:	Mixture is non-polar/aprotic.	
	Range: 7 - 9	
· Change in condition		
• Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	175 °C (347 °F)	
· Flash point:	65 °C (149 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
· Lower:	0.9 Vol %	
· Upper:	0.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.7 hPa (0.5 mm Hg)	
· Density (+/- 0,03) at 20 °C (68 °F):	1.051 g/cm³ (8.771 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	



Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: WB HARDENER

		(Contd. of page 5)
• Solubility in / Miscibility with • Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
• Kinematic at 20 •C (68 •F):	40 s (ISO 4 mm)	
• Oxidising properties:	N.A.	
· Solvent content:		
· VOC content:	30.06 %	
	316.0 g/l / 2.64 lb/gal	
· Solids content:	69.9 %	
· Other information (HAPS)		
822-06-0 hexamethylene diisocyanate)	<0.1%
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- **Chemical stability** The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 15.7 mg/l

160994-68-3 aliphatic polyisocyanate

Oral LD50 2,001 mg/kg (mouse)

822-06-0 hexamethylene	diisocyanate
------------------------	--------------

Oral	LD50	738 mg/kg (mouse)
Dermal	LD50	7,001 mg/kg (rabbit)

- Inhalative LC50/4 h 0.124 mg/l (mouse)
 - · Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - Sensitization: Sensitization possible through skin contact.
 - \cdot Additional toxicological information:

Harmful

(Contd. on page 7)



Irritant

Safety Data Sheet acc. to OSHA HCS

Version number 101

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 6)

Harmful if inhaled. May cause an allergic skin reaction. May cause respiratory irritation. Contains isocyanates. May produce an allergic reaction.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Sensitisation

Monomers / polymers isocyanate

Particular characteristics / effects; prolonged exposure may irritate the eyes, nose, throat and respiratory tract.

Isocyanate exposure may result in the delayed appearance of respiratory disorders, cough or asthma. Sensitive individuals may show exposure symptoms to isocyanates below workplace TLV values. Prolonged skin contact may result cause irritation and dehydration.

12 Ecological information

· Toxicity Harmful to aquatic life with long lasting effects.

• Aquatic toxicity:

EC50

822-06-0 hexamethylene diisocyanate

77.5 mg/l (algae) (72 h)

89.2 mg/l (daphnia) (48 h)

LC50 (96h) 82.9 mg/l (Fish)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Harmful to fish
- · Additional ecological information:
 - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

(Contd. on page 8)



Safety Data Sheet acc. to OSHA HCS

Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 7)

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT, ADN, IMDG, IATA	Not applicable
· Note	Check viscosity and flash point at section 9
UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not applicable
Packing group	
· DOT, IMDG, IATA	Not applicable
Environmental hazards:	
• Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	r II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

· Various regulations	
· SARA	
• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings) :	
822-06-0 hexamethylene diisocyanate	<0.1%
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
822-06-0 hexamethylene diisocyanate	
Proposition 65	
• Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 9)



Safety Data Sheet acc. to OSHA HCS

Version number 101

Product number TXW13 Trade name: WB HARDENER

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Other regulations, limitations and prohibitive regulations

• Export notification paragraph 12 (b) of the US Toxic Substance Control Act 15 U.S.C.

aliphatic polyisocyanate

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone

· Date of preparation / last revision 09/14/2022 / 100 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity - Inhalation 1: Acute toxicity - Category 1 Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Skin Irrititation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Version number 101

Reviewed on 09/09/2022

Product number TXW13 Trade name: WB HARDENER

· Sources

(Contd. of page 9)

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer •* Data compared to the previous version altered.

US