

Chemicals

Printing date 08/15/2022

Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

1 Identification

- · Product identifier
 - · Product number PW710
 - Trade name: WB CONV WHITE 20SH

```
· Application of the substance / the mixture For professional use
```

· Details of the supplier of the safety data sheet

- Manufacturer/Supplier: IVM Chemicals Srl
 Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dia
- ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
 - The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:
- 2-methyl-2H-isothiazol-3-one
- · Hazard statements
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.
- · Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \textbf{Health} = 0\\ \textbf{Fire} = 1\\ \textbf{Reactivity} = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)



US



Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

Product number PW710 Trade name: WB CONV WHITE 20SH

Printing date 08/15/2022

(Contd. of page 1)

••	<i>haracterization: Mixtures</i> <i>on:</i> Mixture: consisting of the following components.	
 Dangerou 	is components:	
111-76-2	 2-butoxyethanol Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irrititation 2, H315; Eye Irritation 2A, H319 Flammable Liquids 4, H227 	1-2.49%
34590-94-8	(2-methoxymethylethoxy)propanol Flammable Liquids 4, H227	1-<5%
112-34-5	2-(2-butoxyethoxy)ethanol	<0.5%
68439-49-6	c16-18 alcohols ethoxylated ♦ Acute Toxicity - Oral 3, H301 ♦ Eye Damage 1, H318	<0.5%
2682-20-4	 2-methyl-2H-isothiazol-3-one ♦ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331 ♦ Skin Corrosion 1B, H314; Eye Damage 1, H318 ♦ Sensitization - Skin 1, H317 	≥0.0015-<0.01%
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)	≥0.00025-<0.0015%
	 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 2, H310; Acute Toxicity - Inhalation 2, H330 Skin Corrosion 1B, H314; Eye Damage 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Sensitization - Skin 1A, H317 	

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8) · *After inhalation:*

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: Do not induce vomiting; immediately call for medical help.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed Allergic reactions For symptoms and effects caused by substances, refer to Section 11.

(Contd. on page 3)

US



Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

Product number PW710 Trade name: WB CONV WHITE 20SH

Printing date 08/15/2022

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

- · Suitable extinguishing agents:
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Do not use a jet water stream as it may scatter and spread fire.
- Special hazards arising from the substance or mixture In case of fire, the following can be released:

Nitrogen oxides (NOx) Carbon monoxide (CO)

· Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Keep away from ignition sources
 Environmental precautions:
 Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	30 mg/m ³
111-76-2	2-butoxyethanol	60 ppm
34590-94-8	(2-methoxymethylethoxy)propanol	150 ppm
7631-86-9	silicon dioxide, chemically prepared	18 mg/m³
25322-69-4	Propane-1,2-diol, propoxylated	30 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
108-01-0	2-dimethylaminoethanol	3.7 ppm
68439-49-6	c16-18 alcohols ethoxylated	3.8 mg/m ³
68439-49-6	c16-18 alcohols ethoxylated	3.8 mg/m ³
		(Contd. on page 4)



Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

Printing date 08/15/2022

Product number PW710 Trade name: WB CONV WHITE 20SH

124-68-5	2-amino-2-methylpropanol	(Contd. of page 3 17 mg/m ³	
· PAC-2:			
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	330 mg/m ³	
111-76-2	2-butoxyethanol	120 ppm	
34590-94-8	(2-methoxymethylethoxy)propanol	1700* ppm	
7631-86-9	silicon dioxide, chemically prepared	740 mg/m ³	
25322-69-4	Propane-1,2-diol, propoxylated	330 mg/m ³	
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm	
108-01-0	2-dimethylaminoethanol	40 ppm	
68439-49-6	c16-18 alcohols ethoxylated	42 mg/m ³	
68439-49-6	68439-49-6 c16-18 alcohols ethoxylated		
124-68-5	124-68-5 2-amino-2-methylpropanol		
· PAC-3:			
13463-67-7	Titanium dioxide C.I. 77891 Pigment white 6	2,000 mg/m ³	
111-76-2	2-butoxyethanol	700 ppm	
34590-94-8	(2-methoxymethylethoxy)propanol	9900** ppm	
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m ³	
25322-69-4	Propane-1,2-diol, propoxylated	2,000 mg/m ³	
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm	
108-01-0	2-dimethylaminoethanol	ol 72 ppm	
68439-49-6	c16-18 alcohols ethoxylated	250 mg/m ³	
68439-49-6	c16-18 alcohols ethoxylated	250 mg/m ³	
124-68-5	2-amino-2-methylpropanol	570 mg/m ³	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date , it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)



Printing date 08/15/2022

Version number 163

Reviewed on 07/28/2022

Product Trade na	number PW710 ame: WB CONV WHITE 20SH
	(Contd. of page 4)
· C T 0	trol parameters components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL, TLV or ther recommended exposure limit.
	t this time, the other constituents have no known exposure limits.
	76-2 2-butoxyethanol
	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 20 ppm BEI, A3
3459	0-94-8 (2-methoxymethylethoxy)propanol
PEL	Long-term value: 600 mg/m³, 100 ppm Skin
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
TLV	Long-term value: NIC-50 ppm (Skin)
112-	34-5 2-(2-butoxyethoxy)ethanol
TLV	Long-term value: 10* ppm *Inhalable fraction and vapor
	· Ingredients with biological limit values:
111-	76-2 2-butoxyethanol
	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)
	\cdot Additional information: The lists that were valid during the creation were used as basis.
	osure controls ersonal protective equipment: • General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. • Breathing equipment: Short term filter device:
	Suitable respiratory protective device recommended.
	Filter A • Protection of hands:
	Protective gloves
	Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	(Contd. on page 6)

d. on page 6)



Printing date 08/15/2022

Version number 163

Reviewed on 07/28/2022

duct number PW710 de name: WB CONV WHITE 20S	Н
• Material of gloves The selection of the suitabl further marks of quality and a preparation of several su	(Contd. of page permeable and resistant to the product . le gloves does not only depend on the material, but also c varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b
	as therefore to be checked prior to the application.
• Penetration time of glove mat	
gloves and has to be observ	ne has to be found out by the manufacturer of the protectived
· Eye protection: Goggles recomm	
Physical and chemical prope	rties
Information on basic physical and	chemical properties
· General Information	
• Appearance:	
· Form: · Color:	Fluid According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Mixture is non-polar/aprotic. Range: 7 - 9
· Change in condition	ů.
• Melting point/Melting range:	Undetermined.
• Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	100 °C (212 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	1.1 Vol % 14 Vol %
· Upper:	
· Vapor pressure at 20 °C (68 °F):	1.2 hPa (0.9 mm Hg)
• Density (+/- 0,03) at 20 •C (68 •F):	1.216 g/cm ³ (10.148 lbs/gal)
• Relative density • Vapor density	Not determined. Not determined.
• vapor aensuy • Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Solubluly in / Miscibility with · Water:	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
	40 s (ISO 4 mm) N.A.



Version number 163

Reviewed on 07/28/2022

Product number PW710

Printing date 08/15/2022

		(Contd. of page
· Solvent content:		
• Water:	49.4 %	
· VOC content:	3.86 %	
	46.9 g/l / 0.39 lb/gal	
· Solids content:	46.5 %	
· Other information (HAPS)		
112-34-5 2-(2-butoxyethoxy)ethance	bl	<0.5%
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- **Chemical stability** The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

4

· LD/LC50 values that are relevant for classification:

TE (Acute	Toxicity	Estimate)
-----------	----------	-----------

Oral	LD50	41,132 mg/kg
Dermal	LD50	68,323 mg/kg (rab) 683 mg/l (mouse)
Inhalative	LC50/4 h	683 mg/l (mouse)

111-76-2 2-butoxyethand

111-76-22	2-butoxye	thanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (mouse)
Dermal	LD50	1,100 mg/kg (rab)
Inhalative	LC50/4 h	11 mg/l (mouse)
34590-94-	8 (2-meth	oxymethylethoxy)propanol
Oral	LD50	5,135 mg/kg (mouse)
Dermal	LD50	19,020 mg/kg (rabbit)
112-34-5	2-(2-butox	yethoxy)ethanol
Oral	LD50	6,600 mg/kg (mouse)
Dermal	LD50	2,764 mg/kg (rabbit)
108-01-0	2-dimethy	laminoethanol
Oral	LD50	1,183 mg/kg (mouse)
Dermal	LD50	1,219 mg/kg (rabbit)
Inhalative	LC50/4 h	6.1 mg/l (mouse)
		(Contd. on page 8



Safety Data Sheet acc. to OSHA HCS

Printing date 0	8/15/2022	Version number 163	Reviewed on 07/28/2022
Product num Trade name:) DNV WHITE 20SH	
2682-20-4	2-methyl	2H-isothiazol-3-one	(Contd. of page 7
Oral	LD50	200 mg/kg (mouse)	
Dermal	LD50	400 mg/kg (mouse)	
Inhalative	LC50/4 h	0.53 mg/l (mouse)	
· Sen: · Additio Irritant May ca Warnin mist.	sitization: S nal toxicolo ause an all ng! Hazard	No irritating effect. Sensitization possible through skin contact. gical information: ergic skin reaction. ous respirable droplets may be formed wher	n sprayed. Do not breathe spray o
Tita IAR exp hun sigr whi	erimental nans and h nificant ex ch titanium	de graph No. 93 reports there is sufficient ats exposed to titanium dioxide but inadequ as assigned a Group 2B rating. In addition, t posure to titanium dioxide is thought to oc is bound to other materials, such as paint."	ate evidence for carcinogenicity in the IARC summary concludes, "Ne ccur during the use of products in
		national Agency for Research on Cancer - Cl.	
13463-67-	7 Titaniur	n dioxide C.I. 77891 Pigment white 6	2B - DUST
	,	nal Toxicology Program)	
None of th	ne ingredie	nts is listed.	
· (OSHA-Ca (Occupational Safety & Health Administration)	
None of th	ne ingredie	nts is listed.	

12 Ecological information

Тох	ic	ity

reality		
• Aquatic t	oxicity:	
111-76-2 2-	butoxyethanol	
EC50	101 mg/l (daphnia) (24 h)	
LC50 (96h)	101 mg/l (Fish)	
34590-94-8	(2-methoxymethylethoxy)propanol	
EC50	970 mg/l (algae) (72 h)	
	1,919 mg/l (daphnia) (48 h)	
LC50 (96h)	1,001 mg/l (Fish)	
112-34-5 2-	(2-butoxyethoxy)ethanol	
EC50	1,001 mg/l (daphnia) (48 h)	
LC50 (96h)	1,300 mg/l (Leuciscus idus melanotus)	
108-01-0 2-	dimethylaminoethanol	
EC50	66.1 mg/l (algae) (72 h)	
	98.4 mg/l (daphnia) (48 h)	
		(Contd. on page



Version number 163

Reviewed on 07/28/2022

Product number PW710 Trade name: WB CONV WHITE 20SH

Printing date 08/15/2022

EC50	0.027 mg/l (algae) (72 h)
	0.16 mg/l (daphnia) (48 h)
LC50 (96h)	0.19 mg/l (Fish)
· Persistence	e and degradability No further relevant information available.
· Substance	es Easily biodegradable
111-76-2	2-butoxyethanol .
34590-94-8	(2-methoxymethylethoxy)propanol .
• Bioaccum • Mobility v • Additional	n environmental systems: nulative potential No further relevant information available. in soil No further relevant information available. ecological information:
	azard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course or
Other adva	rse effects No further relevant information available.

....

Waste treatment methods
 Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, ADN, IMDG, IATA Not applicable · Note Check viscosity and flash point at section 9 · UN proper shipping name · DOT, ADN, IMDG, IATA Not applicable · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Not applicable · Packing group · DOT, IMDG, IATA Not applicable · Environmental hazards: No · Marine pollutant: (Contd. on page 10) US



Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

Product number PW710 WB CONV WHITE 20SH Trade name:

Printing date 08/15/2022

		(Contd. of page 9)
 Special precautions for user 	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	I of Not applicable.	
· UN "Model Regulation":	Not applicable	

15 Regulatory information

Requirements of Federal Register			
· · Various regulations · SARA			
• Section 355 (extremely hazardous substances):			
None of the ingredients is listed.			
· Section 313 (Specific toxic chemical listings) :			
111-76-2 2-butoxyethanol		•	1-2.49
112-34-5 2-(2-butoxyethoxy)ethanol		•	<0.5%
· TSCA (Toxic Substances Control Act):			
All components have the value ACTIVE.			
· Hazardous Air Pollutants			
None of the ingredients is listed.			
Chemicals known to cause cancer: Titanium dioxide only in bound form 13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6 0	only for Duct	20	24.00
	only for Dust	20	-24.98
• Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
• Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
Chemicals known to cause developmental toxicity:			
None of the ingredients is listed.			
· Carcinogenic categories			
· EPA (Environmental Protection Agency)			
111-76-2 2-butoxyethanol		VL	1-2.49
· TLV (Threshold Limit Value)			
13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6			1
111-76-2 2-butoxyethanol			/
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
13463-67-7 Titanium dioxide C.I. 77891 Pigment white 6		20-	24.99

hazardous substances.

(Contd. on page 11)

US

ivm Chemicals

Printing date 08/15/2022

Safety Data Sheet acc. to OSHA HCS

Version number 163

Reviewed on 07/28/2022

Product number PW710 Trade name: WB CONV WHITE 20SH

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl · Contact: See emergency phone · Date of preparation / last revision 08/15/2022 / 162 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Dermal 2: Acute toxicity - Category 2 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Skin Irrititation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 Sensitization - Skin 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments Agency ECHA web site

INRS Fiche Toxicologique IARC International agency for research on cancer * Data compared to the previous version altered.

US