

Safety Data Sheet acc. to OSHA HCS

Printing date 08/08/2022

Version number 3

Reviewed on 07/20/2022

1 Identification

- · Product identifier
 - ·!Product number HNS7A04 ·!Trade name: WB GEL STAIN BASE
 - · Application of the substance / the mixture For professional use

\cdot Details of the supplier of the safety data sheet

- Manufacturer/Supplier: IVM Chemicals Srl
 Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
 - The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

2-methyl-2H-isothiazol-3-one

Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omegahydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyloxypoly(oxyethylene)

- · Hazard statements
- H317 May cause an allergic skin reaction.
- · Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.
- · Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

⁻US



Safety Data Sheet acc. to OSHA HCS

Version number 3

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

Printing date 08/08/2022

HEALTH 0 Health = 0FIRE 1 REACTIVITY 0

Fire = 1Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerou	is components:	
34590-94-8	(2-methoxymethylethoxy)propanol	1-<5%
	Flammable Liquids 4, H227	
100-79-8	2,2-dimethyl-1,3-dioxolan-4-ylmethanol	2.5-4.99%
	🚸 Eye Irritation 2A, H319	
112-34-5	2-(2-butoxyethoxy)ethanol	0.5-1%
	🚸 Eye Irritation 2A, H319	
	Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4- hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4- hydroxyphenyl)propionyloxypoly(oxyethylene)	≥0.25-<0.5%
	Aquatic Chronic 2, H411 Sensitization - Skin 1, H317	
1336-21-6	ammonia	<0.25%
	Skin Corrosion 1B, H314 Aquatic Acute 1, H400	
2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.01%
	 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331 Skin Corrosion 1B, H314; Eye Damage 1, H318 Sensitization - Skin 1, H317 	

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- personal protective equipment for first aid responders is recommended. (please see section 8) · After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed Allergic reactions

For symptoms and effects caused by substances, refer to Section 11.

(Contd. on page 3)

US



Safety Data Sheet acc. to OSHA HCS

Version number 3

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

Printing date 08/08/2022

- · Suitable extinguishing agents:
 - CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Do not use a jet water stream as it may scatter and spread fire.
- Special hazards arising from the substance or mixture In case of fire, the following can be released:

Nitrogen oxides (NOx) Carbon monoxide (CO)

· Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Keep away from ignition sources
 Environmental precautions:
 Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
	(2-methoxymethylethoxy)propanol	150 ppm
	2,2-dimethyl-1,3-dioxolan-4-ylmethanol	3.9 ppm
25265-77-4	2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)	13 mg/m³
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
1336-21-6	ammonia	61 ppm
· PAC-2:		
34590-94-8	(2-methoxymethylethoxy)propanol	1700* ppm
	2,2-dimethyl-1,3-dioxolan-4-ylmethanol	43 ppm
25265-77-4	2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)	140 mg/m ³
		(Contd. on page 4)



Version number 3

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

Printing date 08/08/2022

		(Contd. of page 3)
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
1336-21-6	ammonia	330 ppm
· PAC-3:		
34590-94-8	(2-methoxymethylethoxy)propanol	9900** ppm
100-79-8	2,2-dimethyl-1,3-dioxolan-4-ylmethanol	260 ppm
25265-77-4	2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)	840 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
1336-21-6	ammonia	2,300 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
 - · Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date , it means that the product must be used within 8 months.

- Take on temperature greater than 5 ° C
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

34590-94-8 (2-methoxymethylethoxy)propanol

PEL	Long-term value: 600 mg/m³, 100 ppm Skin
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
TLV	Long-term value: NIC-50 ppm (Skin)
112-	34-5 2-(2-butoxyethoxy)ethanol
TLV	Long-term value: 10* ppm *Inhalable fraction and vapor
	• Additional information: The lists that were valid during the creation were used as basis. (Contd. on page 5)



acc. to OSHA HCS Printing date 08/08/2022

Version number 3

Safety Data Sheet

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

· Decomposition temperature:

(Contd. of page 4)

· Exposure controls	
· Personal protective equipment:	
• General protective and hygienic n	
Immediately remove all soiled a	
Wash hands before breaks and	l at the end of work.
Breathing equipment:	
Short term filter device:	
Suitable respiratory p	protective device recommended.
Filter A	
• Protection of hands:	
Trotection of nations.	
Protective gloves	
Due to missing tests no recomr	mendation to the glove material can be given for the product.
	I on consideration of the penetration times, rates of diffusion
and the degradation	·
	npermeable and resistant to the product .
· Material of gloves	
The selection of the suitable	le gloves does not only depend on the material, but also o
	I varies from manufacturer to manufacturer. As the product
a preparation of several su	l varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b
a preparation of several su calculated in advance and h	l varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application.
a preparation of several su calculated in advance and h Penetration time of glove mat	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. rerial
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tim	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectiv
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectiv red.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tim	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectiv red.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectiv red.
a preparation of several su calculated in advance and h · Penetration time of glove mat The exact break through tin gloves and has to be observ · Eye protection: Goggles recomm	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b las therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protectiv red. mended during refilling.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. <i>Terial</i> me has to be found out by the manufacturer of the protective red. mended during refilling.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. <i>Terial</i> me has to be found out by the manufacturer of the protective red. mended during refilling.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope Information on basic physical and General Information	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. <i>Terial</i> me has to be found out by the manufacturer of the protective red. mended during refilling.
a preparation of several su calculated in advance and h · Penetration time of glove mat The exact break through tin gloves and has to be observ · Eye protection: Goggles recomm • Physical and chemical prope · Information on basic physical and · General Information · Appearance:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectiv ved. mended during refilling. rties chemical properties
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope Information on basic physical and General Information Appearance: Form:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties <i>Fluid</i>
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recommendation Eye protection: Goggles recommendation Physical and chemical property Information on basic physical and General Information Appearance: Form: Color:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties Fluid According to product specification
a preparation of several su calculated in advance and h · Penetration time of glove mat The exact break through tin gloves and has to be observ · Eye protection: Goggles recomm · Eye protection: Goggles recomm · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties Fluid According to product specification Characteristic
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined.
a preparation of several su calculated in advance and h · Penetration time of glove mat The exact break through tin gloves and has to be observ · Eye protection: Goggles recomm · Eye protection: Goggles recomm · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic.
a preparation of several su calculated in advance and h Penetration time of glove mat The exact break through tin gloves and has to be observ Eye protection: Goggles recomm Physical and chemical prope Information on basic physical and General Information Appearance: Form: Color: Odor: Odor: Odor threshold:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. aerial me has to be found out by the manufacturer of the protective ved. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined.
a preparation of several su calculated in advance and h · Penetration time of glove matures The exact break through time gloves and has to be observery · Eye protection: Goggles recommended · Eye protection: Goggles recommended · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor threshold: · pH-value: · Change in condition	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not be as therefore to be checked prior to the application. Verial me has to be found out by the manufacturer of the protective red. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9
a preparation of several su calculated in advance and h · Penetration time of glove maturation The exact break through time gloves and has to be observe · Eye protection: Goggles recommended · Eye protection: Goggles recommended · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor threshold: · pH-value: · Change in condition · Melting point/Melting range:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. verial me has to be found out by the manufacturer of the protective red. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9 Undetermined.
a preparation of several su calculated in advance and h · Penetration time of glove matures The exact break through time gloves and has to be observery · Eye protection: Goggles recommended · Eye protection: Goggles recommended · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor threshold: · pH-value: · Change in condition	I varies from manufacturer to manufacturer. As the product substances, the resistance of the glove material can not be as therefore to be checked prior to the application. Terial me has to be found out by the manufacturer of the protective of the protective of the during refilling. rties rties fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9
a preparation of several su calculated in advance and h · Penetration time of glove maturation The exact break through time gloves and has to be observe · Eye protection: Goggles recommended · Eye protection: Goggles recommended · Physical and chemical prope · Information on basic physical and of · General Information · Appearance: · Form: · Color: · Odor: · Odor threshold: · pH-value: · Change in condition · Melting point/Melting range: · Boiling point/Boiling range:	I varies from manufacturer to manufacturer. As the product ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. verial me has to be found out by the manufacturer of the protective red. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9 Undetermined.
a preparation of several su calculated in advance and h · Penetration time of glove mat The exact break through tin gloves and has to be observ · Eye protection: Goggles recomm · Eye protection: Goggles recomm · Physical and chemical prope · Information on basic physical and · General Information · Appearance: · Form: · Color: · Odor: · Odor threshold: · pH-value: · Change in condition · Melting point/Melting range: · Boiling point/Boiling range: · Flash point:	l varies from manufacturer to manufacturer. As the product is ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. erial me has to be found out by the manufacturer of the protectivity red. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9 Undetermined. 100 °C (212 °F) 96 °C (204.8 °F)
a preparation of several su calculated in advance and h · Penetration time of glove maturation The exact break through time gloves and has to be observe · Eye protection: Goggles recommended · Eye protection: Goggles recommended · Physical and chemical prope · Information on basic physical and of · General Information · Appearance: · Form: · Color: · Odor: · Odor threshold: · pH-value: · Change in condition · Melting point/Melting range: · Boiling point/Boiling range:	I varies from manufacturer to manufacturer. As the product is ubstances, the resistance of the glove material can not b as therefore to be checked prior to the application. Verial me has to be found out by the manufacturer of the protective red. mended during refilling. rties chemical properties Fluid According to product specification Characteristic Not determined. Mixture is non-polar/aprotic. Range: 7 - 9 Undetermined. 100 °C (212 °F)

Not determined.

US



Safety Data Sheet acc. to OSHA HCS

Version number 3

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

Printing date 08/08/2022

	(C	ontd. of page
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1.1 Vol %	
· Upper:	14 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.4 hPa (0.3 mm Hg)	
• Density (+/- 0,03) at 20 °C (68 °F):	1.01 g/cm³ (8.428 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Fully miscible.	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
• Kinematic at 20 •C (68 •F):	29 s (ISO 3 mm)	
· Oxidising properties:	N.A.	
· Solvent content:		
· Water:	84.2 %	
· VOC content:	7.04 %	
	71.1 g/l / 0.59 lb/gal	
· Solids content:	8.6 %	
Other information (HAPS)		
112-34-5 2-(2-butoxyethoxy)ethanol		0.5-1%
143-22-6 2-[2-(2-butoxyethoxy)ethoxy	r]ethanol	<0.1%
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- Chemical stability The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

34590-94-8 (2-methoxymethylethoxy)propanol

Oral	LD50	5,135 mg/kg (mouse)

(Contd. on page 7)

LIS



Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/20/2022

Printing date 08/08/2022

Version number 3

Product number HNS7A04				
Trade name:	WB GEL STAIN BASE			

Dermal	LD50	19,020 mg/kg (rabbit)
100-79-8	2,2-dimet	hyl-1,3-dioxolan-4-ylmethanol
Oral	LD50	7,000 mg/kg (mouse)
Inhalative	LC50	1,001 mg/l (daphnia) (24 h)
		16,700 mg/l (Fish) (96 h)
112-34-5	2-(2-buto	xyethoxy)ethanol
Oral	LD50	6,600 mg/kg (mouse)
Dermal	LD50	2,764 mg/kg (rabbit)
hydroxyp	henyl)pr	thylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4- opionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) (oxyethylene) 5,001 mg/kg (mouse) (OECD - 401)
Dermal	LD50	2,001 mg/kg (mouse) (OECD - 402)
1336-21-6	ammoni	a
Oral	LD50	3,500 mg/kg (mouse)
2682-20-4	2-methy	l-2H-isothiazol-3-one
Oral	LD50	200 mg/kg (mouse)
Dermal	LD50	400 mg/kg (mouse)
Inhalative	LC50/4 ł	n 0.53 mg/l (mouse)
• • • • • Sen. • Additio Irritant	on the eye: sitization: nal toxicol	nt effect: n: No irritant effect. No irritating effect. Sensitization possible through skin contact. Iogical information: Ilergic skin reaction.
· Car	cinogenic	categories
		ernational Agency for Research on Cancer - Cl. 1 and 2)
	ne inaredie	ents is listed.
None of th	<u> </u>	onal Toxicology Program)
None of th	NTP (Natio	onal Toxicology Program) ents is listed.
None of th	NTP (National NTP) NTP (National NTP) National NTP) National Natio	

12 Ecological information

· Toxicity	
· Aquatic t	oxicity:
34590-94-8	(2-methoxymethylethoxy)propanol
EC50	970 mg/l (algae) (72 h)
	1,919 mg/l (daphnia) (48 h)
LC50 (96h)	1,001 mg/l (Fish)
112-34-5 2-	(2-butoxyethoxy)ethanol
EC50	1,001 mg/l (daphnia) (48 h)
	(Contd. on page 8

- US



Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

Printing date 08/08/2022

	(Contd. of page
LC50 (96h)	1,300 mg/l (Leuciscus idus melanotus)
hydroxypo hydroxyph	alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omeg y(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4- enyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl xypoly(oxyethylene)
EC50	101 mg/l (algae) (72h)
	4 mg/l (daphnia) (OECD linee guida 202 parte 1)
LC50 (96h)	2.8 mg/l (Leuciscus idus melanotus) (OECD linee guida 203)
1336-21-6 a	mmonia
EC50	101 mg/l (daphnia) (96 h)
LC50 (96h)	0.89 mg/l (Fish)
· Persistence	and degradability No further relevant information available.
· Substanc	es Easily biodegradable
34590-94-8	(2-methoxymethylethoxy)propanol .
112-34-5	2-(2-butoxyethoxy)ethanol .
Do not a	zard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course
Water ha Do not a sewage	notes: zard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course
Water ha Do not a sewage • Other adve 3 Disposal	notes: Izard class 1 (Self-assessment): slightly hazardous for water Ilow undiluted product or large quantities of it to reach ground water, water course system. rse effects No further relevant information available. considerations
Water ha Do not a sewage • Other adve • Othe	notes: Izard class 1 (Self-assessment): slightly hazardous for water Ilow undiluted product or large quantities of it to reach ground water, water course system. rse effects No further relevant information available. considerations ment methods ndation: t be disposed of together with household garbage. Do not allow product to relevant
Water ha Do not a sewage • Other adve • Common Must no sewage • Hand ov Dispose • Uncleaned • Recommon	notes: Izard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course system. rse effects No further relevant information available. Considerations ment methods mdation: t be disposed of together with household garbage. Do not allow product to re- system. er to hazardous waste disposers. of contents and container in accordance with local state and federal regulations.
Water ha Do not a sewage • Other adve • Other adve • Other adve • Other adve • Other adve • Other adve • Common • Recommon • Recommon • Recommon • Recommon • Recommon	notes: Izard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course system. rse effects No further relevant information available. considerations ment methods ndation: It be disposed of together with household garbage. Do not allow product to re- system. To hazardous waste disposers. of contents and container in accordance with local state and federal regulations. packagings: ndation: ndation: ndation: ndation: ndation: ndation: ndation: ndation: ndation: ndation: n
Water ha Do not a sewage • Other adver • Disposal • Waste treat • Recomma • Hand ov Dispose • Uncleaned • Recomma • Recomma • Recomma • Recomma • Recomma • Recomma	antes: zard class 1 (Self-assessment): slightly hazardous for water llow undiluted product or large quantities of it to reach ground water, water course system. rse effects No further relevant information available. considerations ment methods ndation: t be disposed of together with household garbage. Do not allow product to re- system. er to hazardous waste disposers. of contents and container in accordance with local state and federal regulations. packagings: ndation: Disposal must be made according to official regulations. nded cleansing agent: Water, if necessary with cleansing agents. t information

· UN proper shipping name · DOT, ADN, IMDG, IATA -----

Not applicable

(Contd. on page 9)

US



Version number 3

Reviewed on 07/20/2022

Product number HNS7A04

WB GEL STAIN BASE

Printing date 08/08/2022

Trade name:

		(Contd. of page
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Not applicable	
· Packing group		
· DOT, IMDĠ, IATA	Not applicable	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II o	of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not applicable	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· · Various · SAR	regulations A		
· S	ection 355 (extremely hazardous substances):		
None of the	e ingredients is listed.		
· S	ection 313 (Specific toxic chemical listings) :		
112-34-5	2-(2-butoxyethoxy)ethanol	0.5-1%	
1336-21-6	ammonia	<0.25%	
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	<0.1%	
· TSCA (Toxic Substances Control Act):			
All components have the value ACTIVE.			
· Hazardous Air Pollutants			
None of the ingredients is listed.			
· Proposition 65			
· Chemicals known to cause cancer:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
· C	hemicals known to cause developmental toxicity:		
None of the ingredients is listed.			
· Carc	inogenic categories		
· EPA (Environmental Protection Agency)			
None of the ingredients is listed.			
· TLV (Threshold Limit Value)			
None of the	None of the ingredients is listed.		

(Contd. on page 10)



Printing date 08/08/2022

Safety Data Sheet acc. to OSHA HCS

Version number 3

Reviewed on 07/20/2022

Product number HNS7A04 Trade name: WB GEL STAIN BASE

(Contd. of page 9)

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl

· Contact: See emergency phone

• Date of preparation / last revision 08/08/2022 / 2 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer •* Data compared to the previous version altered.