

Printing date 06/13/2023

Version number 4

Reviewed on 05/04/2023

1 Identification

- · Product identifier
 - ·!Product number PXS5AB4
 - ITrade name: ANTIBUBBLE ADDITIVE FOR WATERBASE
 - \cdot Application of the substance / the mixture For professional use

· Details of the supplier of the safety data sheet

- Manufacturer/Supplier: IVM Chemicals Srl Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*




· Signal word Warning

- Hazard-determining components of labeling: octamethylcyclotetrasiloxane
- · Hazard statements
- H361 Suspected of damaging fertility or the unborn child.
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
 - P201 Obtain special instructions before use.
 - P273 Avoid release to the environment.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
 - P308+P313 IF exposed or concerned: Get medical advice/attention.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.
- · Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



us



Printing date 06/13/2023

Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4

Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

| 9005-00-9 | Octadecan-1-ol, ethoxylated | 1-2.49% |
|-----------|---|-------------|
| | Aquatic Chronic 2, H411 Aquatic Acute 2, H401 | |
| 541-02-6 | Decamethylcyclopentasiloxane | <0.5% |
| | Flammable Liquids 4, H227 PBT; vPvB | |
| 556-67-2 | octamethylcyclotetrasiloxane | ≥0.1-<0.25% |
| | Flammable Liquids 3, H226 Toxic to Reproduction 2, H361 Aquatic Chronic 1, H410 (M=10) PBT; vPvB | |

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed
 - For symptoms and effects caused by substances, refer to Section 11.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents: Use fire fighting measures that suit the environment. • For safety reasons unsuitable extinguishing agents:
 - Do not use a jet water stream as it may scatter and spread fire.

• **Special hazards arising from the substance or mixture** In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO)

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

(Contd. on page 3)

US

Version number 4

Reviewed on 05/04/2023

Printing date 06/13/2023

Chemicals

Product number PXS5AB4

Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

(Contd. of page 2)

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Keep away from ignition sources
 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

• **Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | |
|---------------------------------------|------------------------------|-----------------------|
| 9005-00-9 | Octadecan-1-ol, ethoxylated | 5.7 mg/m ³ |
| 556-67-2 octamethylcyclotetrasiloxane | | 30 ppm |
| · PAC-2: | | |
| 9005-00-9 | Octadecan-1-ol, ethoxylated | 63 mg/m³ |
| 556-67-2 | octamethylcyclotetrasiloxane | 68 ppm |
| • PAC-3: | | |
| 9005-00-9 | Octadecan-1-ol, ethoxylated | 380 mg/m ³ |
| 556-67-2 | octamethylcyclotetrasiloxane | 130 ppm |

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Open and handle receptacle with care.
- Keep respiratory protective device available.
- · Information about protection against explosions and fires:
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date , it means that the product must be used within 8 months.

- Take on temperature greater than 5 ° C
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US



Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4

Printing date 06/13/2023

Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

(Contd. of page 3)

· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

556-67-2 octamethylcyclotetrasiloxane

WEEL Long-term value: 10* ppm *OARS WEEL

> • Regulatory information WEEL: Guide to Occupational Exposure Values (AIHA WEELs) • Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
 - General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.

Pregnant women should strictly avoid inhalation or skin contact.

· Breathing equipment:



Suitable respiratory protective device recommended.

Filter A • Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

(Contd. on page 5)



Printing date 06/13/2023

Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4 Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

(Contd. of page 4)

| nformation on basic physical and o | chemical properties |
|--|---|
| • General Information • Color: | According to product specification |
| · Odor: | Characteristic |
| · Odor threshold: | Not determined. |
| · pH-value: | Mixture is non-polar/aprotic. Range: 7 - 9 |
| · Change in condition | |
| • Melting point/Melting range: | Undetermined. |
| · Boiling point/Boiling range: | 100 °C (212 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Auto igniting: | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 0 hPa |
| • Density (+/- 0,03) at 20 •C (68 •F): | 1.02 g/cm³ (8.512 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | Fully minoikle |
| · Water: | Fully miscible. |
| · Partition coefficient (n-octanol/water | r): Not determined. |
| · Viscosity: | |
| · Dynamic: | Not determined. |
| Kinematic at 20 °C (68 °F): Oxidising properties: | 60 s (ISO 6 mm) N.A. |
| | 140.0 |
| · Solvent content: · Water: | 76.3 % |
| · water: · VOC content: | 0.00 % |
| , oo comen. | 0.0 g/l / 0.00 lb/gal |
| · Solids content: | 23.3 % |
| ther information (HAPS) | |

10 Stability and reactivity

- \cdot **Reactivity** typical of the product as indicated in the data sheet
- **Chemical stability** The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.

Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4

Printing date 06/13/2023

ANTIBUBBLE ADDITIVE FOR WATERBASE Trade name:

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

 Information on toxicological effects · Acute toxicity:

| LD/LC50 values that are relevant for classification: | | | | |
|--|------|----------------------|--|--|
| 541-02-6 Decamethylcyclopentasiloxane | | | | |
| Oral | LD50 | 24,134 mg/kg (mouse) | | |

| Dermal | | 2,001 mg/kg (mouse) | | |
|---------------------------------------|----------|----------------------|--|--|
| 556-67-2 octamethylcyclotetrasiloxane | | | | |
| Oral | | 4,800 mg/kg (mouse) | | |
| Dermal | LD50 | 2,500 mg/kg (Rabbit) | | |
| Inhalative | LC50/4 h | 2,975 mg/l (mouse) | | |

· Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

· Additional toxicological information: Suspected of damaging fertility or the unborn child.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity Harmful to aquatic life with long lasting effects.

· Aquatic toxicity:

541-02-6 Decamethylcyclopentasiloxane

EC50 101 mg/l (algae) (72 h) 101 mg/l (daphnia) (48) LC50 (96h) 17 mg/l (Fish)

· Persistence and degradability No further relevant information available.

- · Ecotoxical effects:
 - · Remark: Harmful to fish
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Harmful to aquatic organisms

(Contd. on page 7)



(Contd. of page 5)

US

coatings & polymers technologies

Safety Data Sheet acc. to OSHA HCS

Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4

Printing date 06/13/2023

Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

• Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|--|--|
| · DOT, IMDG, IATA | Not applicable |
| · Note | Check viscosity and flash point at section 9 |
| UN proper shipping name | |
| · DOT, IMDG, IATA | Not applicable |
| Transport hazard class(es) | |
| · DOT, ADR/RID, ADN, IMDG, IATA | |
| · Class | Not applicable |
| Packing group | |
| · DOT, IMDG, IATA | Not applicable |
| Environmental hazards: | |
| · Marine pollutant: | No |
| Special precautions for user | Not applicable. |
| Transport in bulk according to Annex I | l of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| UN "Model Regulation": | Not applicable |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| · Various regulations · SARA | |
|--|--------------------|
| • Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| • Section 313 (Specific toxic chemical listings) : | |
| None of the ingredients is listed. | |
| | (Contd. on page 8) |
| | US- |



Printing date 06/13/2023

Version number 4

Reviewed on 05/04/2023

Product number PXS5AB4

ANTIBUBBLE ADDITIVE FOR WATERBASE Trade name:

(Contd. of page 7)

· TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl

[·] Contact: See emergency phone

[·] Date of preparation / last revision 06/13/2023 · Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Flammable Liquids 4: Flammable liquids - Category 4 Toxic to Reproduction 2: Reproductive toxicity - Category 2 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2



Reviewed on 05/04/2023

Printing date 06/13/2023

Version number 4

Product number PXS5AB4 Trade name: ANTIBUBBLE ADDITIVE FOR WATERBASE

(Contd. of page 8)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • Sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARI JAMENT AN

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer

US -