

*Printing date 08/15/2022* 

#### Version number 354

Reviewed on 07/27/2022

#### **1** Identification

- · Product identifier
  - Product number PZ364
  - Trade name: ORANGE TINT PASTE
    - $\cdot$  Application of the substance / the mixture For professional use

#### · Details of the supplier of the safety data sheet

- Manufacturer/Supplier: IVM Chemicals Srl
   Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
- Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
- Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flammable Liquids 2

H225 Highly flammable liquid and vapor.

Specific Target Organ Toxicity - Single Exposure 3H336 May cause drowsiness or dizziness.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: 2-methoxy-1-methylethyl acetate n-butyl acetate isobutyl acetate
- Hazard statements H225 Highly flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

- · Precautionary statements
  - P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
  - P241 Use explosion-proof electrical/ventilating/lighting/equipment.
  - P261 Avoid breathing dust/fume/gas/mist/vapors/spray
  - P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

# · Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)



Version number 354

Reviewed on 07/27/2022

Product number PZ364 Trade name: ORANGE TINT PASTE

Printing date 08/15/2022

(Contd. of page 1)

HMIS-ratings (scale 0 - 4)
 HEALTH 0 Health = 0
 FIRE 3 Fire = 3
 REACTIVITY 0 Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dange	rous components:	
108-65-6	2-methoxy-1-methylethyl acetate	20-24.99%
	<ul> <li>Flammable Liquids 3, H226</li> <li>Specific Target Organ Toxicity - Single Exposure 3, H336</li> </ul>	
123-86-4	n-butyl acetate	12.5-15%
	<ul> <li>Flammable Liquids 3, H226</li> <li>Specific Target Organ Toxicity - Single Exposure 3, H336</li> </ul>	
110-19-0	isobutyl acetate	5-9.99%
	<ul> <li>Flammable Liquids 2, H225</li> <li>Specific Target Organ Toxicity - Single Exposure 3, H336</li> </ul>	

## 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: Do not induce vomiting; immediately call for medical help.

· Information for doctor:

Most important symptoms and effects, both acute and delayed

For symptoms and effects caused by substances, refer to Section 11.

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

Alcohol resistant foam

Alcohol resistant foam, CO, powder, water spray/mist.

· For safety reasons unsuitable extinguishing agents:

Do not use a jet water stream as it may scatter and spread fire.

• Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx)

Carbon monoxide (CO)

(Contd. on page 3)

US

Version number 354

Reviewed on 07/27/2022

# Dreduct number DZ264

#### Product number PZ364 Trade name: ORANGE TINT PASTE

(Contd. of page 2)

#### Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources · Environmental precautions: Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 108-65-6 2-methoxy-1-methylethyl acetate 50 ppm 123-86-4 n-butyl acetate 5 ppm 110-19-0 isobutyl acetate 450 ppm · PAC-2: 108-65-6 2-methoxy-1-methylethyl acetate 1,000 ppm 123-86-4 n-butyl acetate 200 ppm 110-19-0 isobutyl acetate 1300\* ppm · PAC-3: 108-65-6 2-methoxy-1-methylethyl acetate 5000\* ppm 123-86-4 n-butyl acetate 3000\* ppm 7500\*\* ppm 110-19-0 isobutyl acetate

# 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

(Contd. on page 4)

gs & polymers technologies

Printing date 08/15/2022

US



Printing date 08/15/2022

# Safety Data Sheet acc. to OSHA HCS

Version number 354

Reviewed on 07/27/2022

#### Product number PZ364 Trade name: ORANGE TINT PASTE

· Conditions for safe storage, including any incompatibilities

(Contd. of page 3)

	nuons for sale storage, including any incompatibilities
	orage: Requirements to be met by storerooms and receptacles:
	Store in a cool, well-ventilated area, away from heat and sources of ignition
	Provide solvent resistant, sealed floor.
	Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.
	In cases where there is no reported expiration date , it means that the product must be used within 8 months.
	Information about storage in one common storage facility: Not required.
	Further information about storage conditions:
	Keep receptacle tightly sealed.
0	Store in cool, dry conditions in well sealed receptacles.
· Speci	ific end use(s) Those typical of the product and the instructions in the data sheet if required.
8 Expo	osure controls/personal protection
Addia	tional information about design of technical systems. No further data, and item 7
· Addit	tional information about design of technical systems: No further data; see item 7.
· Contr	rol parameters
· Co	mponents with limit values that require monitoring at the workplace:
108-6	5-6 2-methoxy-1-methylethyl acetate
WEEL	L Long-term value: 50 ppm
123-8	6-4 n-butyl acetate
PEL	Long-term value: 710 mg/m³, 150 ppm
REL	Short-term value: 950 mg/m <sup>3</sup> , 200 ppm
	Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
TLV	Short-term value: 150 ppm
	Long-term value: 50 ppm
110-1	9-0 isobutyl acetate
PEL	Long-term value: 700 mg/m <sup>3</sup> , 150 ppm
REL	Long-term value: 700 mg/m <sup>3</sup> , 150 ppm
TLV	Short-term value: 150 ppm
	Long-term value: 50 ppm
	Additional information: The lists that were valid during the creation were used as basis.
	sure controls
	sure controls rsonal protective equipment:
	General protective and hygienic measures:
	Immediately remove all soiled and contaminated clothing.
	Wash hands before breaks and at the end of work.
	Breathing equipment:
	Short term filter device:
	Suitable respiratory protective device recommended.

Filter A

(Contd. on page 5)



Printing date 08/15/2022

Version number 354

Reviewed on 07/27/2022

Product number PZ364 Trade name: **ORANGE TINT PASTE** 

(Contd. of page 4)

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
· General Information	
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Mixture is non-polar/aprotic.
· Change in condition	
<ul> <li>Melting point/Melting range:</li> </ul>	Undetermined.
• Boiling point/Boiling range:	93-95 °C (199.4-203 °F)
· Flash point:	18 °C (64.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	315 °C (599 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
· Lower:	1.2 Vol %
· Upper:	10.8 Vol %
· Vapor pressure at 20 °C (68 °F):	20 hPa (15 mm Hg)



Version number 354

Reviewed on 07/27/2022

Printing date 08/15/2022

#### Product number PZ364 Trade name: ORANGE TINT PASTE

	(Contd. of	pag
• Density (+/- 0,03) at 20 °C (68 °F):	0.9 g/cm³ (7.511 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water	·): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
• <i>Kinematic at 20 •C (68 •F):</i>	55 s (ISO 6 mm)	
• Oxidising properties:	N.A.	
· Solvent content:		
· VOC content:	44.87 %	
	403.8 g/l / 3.37 lb/gal	
· Solids content:	55.1 %	
Other information (HAPS)		
None of the ingredients is listed.		
· Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- **Chemical stability** The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
  - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions Vapours may form explosive mixtures with air
- Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

#### · Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	8,532 mg/kg (mouse)
Dermal	LD50	5,001 mg/kg (rabbit)
Inhalative	LC50/4 h	35.7 mg/l (mouse)
123-86-4	n-butyl ac	etate
Oral	LD50	10,760 mg/kg (mouse)
Dermal	LD50	14,000 mg/kg (rabbit)
Inhalative	LC50/4 h	21.1 mg/l (mouse)
110-19-0	sobutyl a	cetate
Oral	LD50	13,400 mg/kg (mouse)
		(Contd. on pag

- US



Version number 354

#### Product number PZ364 Trade name: ORANGE TINT PASTE

Printing date 08/15/2022

			(Contd. of page 6)
Dermal	LD50	17,401 mg/kg (rabbit)	
Inhalative	LC50/4 h	31 mg/l (mouse)	
	mary irritan		
	0	No irritant effect.	
	on the eye:	No irritating effect.	
· Ser	sitization:	lo sensitizing effects known.	
· Additie	onal toxicolo	gical information: May cause drowsiness or dizziness.	
· Ca	rcinogenic c	ategories	
•	IARC (Inter	national Agency for Research on Cancer - Cl. 1 and 2)	
None of t	None of the ingredients is listed.		
	· NTP (National Toxicology Program)		
None of t	he ingredie	nts is listed.	
	00000		

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

#### · Toxicity

	oxicity:		
108-65-6 2-	methoxy-1-methylethyl acetate		
EC50	1,001 mg/l (algae) (72 h)		
	501 mg/l (daphnia) (48 h)		
LC50 (96h)	134 mg/l (Fish)		
123-86-4 n-	butyl acetate		
EC50	397 mg/l (algae) (72 h)		
	44 mg/l (daphnia) (48 h)		
LC50 (96h)	18 mg/l (Fish)		
110-19-0 is	obutyl acetate		
EC50	370 mg/l (algae) (72 h)		
	25 mg/l (daphnia)		
LC50 (96h)	17 mg/l (Fish)		
Persistence	e and degradability No further relevant information available.		
· Substanc	es Easily biodegradable		
108-65-6 2	-methoxy-1-methylethyl acetate .		
123-86-4 n	-butyl acetate .		
110-19-0 is	sobutyl acetate .		
• Bioaccun • Mobility	n environmental systems: nulative potential No further relevant information available. in soil No further relevant information available. ecological information: notes: azard class 1 (Self-assessment): slightly hazardous for water		
Water ha	allow undiluted product or large quantities of it to reach ground water, water course or		



Version number 354

Reviewed on 07/27/2022

#### Product number PZ364 Trade name: ORANGE TINT PASTE

· Other adverse effects No further relevant information available.

(Contd. of page 7)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Printing date 08/15/2022

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT, IMDG, IATA	UN1263
· Note	Check viscosity and flash point at section 9
UN proper shipping name	
·DOT	Paint
· IMDG, IATA	PAINT
Transport hazard class(es)	
·DOT	
PLAMMABLE LOUD	
3	
· Class	3 Flammable liquids
· Label	3
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
<b>V</b>	
· Class	3 Flammable liquids
· Label	3
Packing group	
· DOT, IMDG, IATA	III
Environmental hazards:	
• Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Ke	emler code): -
• EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A

US



Version number 354

Reviewed on 07/27/2022

#### Product number PZ364 Trade name: ORANGE TINT PASTE

Printing date 08/15/2022

<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.
Transport/Additional information:	
·DOT	
· Remarks:	> 450 l: 3 F1, II
· IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities ( $\widetilde{EQ}$ )	Code: E1
	Maximum net quantity per inner packaging: 3 ml
	Maximum net quantity per outer packaging 1000 ml
· Remarks:	> 450 I: 3, II
· IATA	
· Remarks:	> 30 l: 3, II
UN "Model Regulation":	UN 1263 PAINT, 3, III

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Requirements of Federal Register

· Various regulations

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings) :

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

70657-70-4 2-methoxypropyl acetate

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

<0.1%



Version number 354

Reviewed on 07/27/2022

Product number PZ364

Printing date 08/15/2022

Trade name: ORANGE TINT PASTE

(Contd. of page 9)

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone

· Date of preparation / last revision 08/15/2022 / 353 · Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Flammable Liquids 3: Flammable liquids - Category 3 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Sources REGULATION (EC) № 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer • \* Data compared to the previous version altered.