

1 Identification

· Product identifier

- Product number WNS321
- Trade name: **WB white NanoC impr.**
 - Application of the substance / the mixture For professional use

· Details of the supplier of the safety data sheet

- Manufacturer/Supplier:
IVM Chemicals srl
Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441
1.3.2 Importer

Name I.C. & S. DISTRIBUTING CO.
Address P.O. BOX 10845
LANCASTER. PA
USA
E-Mail: nelson@ics-company.com

· Information department:

Environmental Health and safety office
hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.
001 813-248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid. Flam. Liq. 4
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
Aquatic Acute 3 H402 Harmful to aquatic life.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labeling:

2-methyl-2H-isothiazol-3-one

· Hazard statements

H227 Combustible liquid. Flam. Liq. 4
H317 May cause an allergic skin reaction.
H402 Harmful to aquatic life.

· Precautionary statements

P210 Keep away from flames and hot surfaces. . No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P363 Wash contaminated clothing before reuse.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 1)

Classification system:

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



3 Composition/information on ingredients

Chemical characterization: Mixtures

· **Description:** Mixture: consisting of the following components.

Dangerous components:

| | | |
|------------|--|----------------|
| 34590-94-8 | (2-methoxymethylethoxy)propanol Flammable Liquids 4, H227 | 1-<5% |
| 57-55-6 | propane-1,2-diol | 1-2.49% |
| 111-90-0 | Diethylene glycol monoethyl ether Flammable Liquids 4, H227 | <0.5% |
| 55406-53-6 | 3-Iodo-2-propynylbutylcarbamate ☠ Acute Toxicity - Inhalation 3, H331 ☠ Specific Target Organ Toxicity - Repeated Exposure 1, H372 ☠ Eye Damage 1, H318 ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) ☠ Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317 | ≥0.025-<0.1% |
| 2682-20-4 | 2-methyl-2H-isothiazol-3-one ☠ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331 ☠ Skin Corrosion 1B, H314; Eye Damage 1, H318 ☠ Sensitization - Skin 1, H317 | ≥0.0015-<0.01% |
| 3811-73-2 | pyridine-2-thiol 1-oxide, sodium salt ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10) ☠ Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319 | ≥0.0025-<0.01% |

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Product number WNS321**Trade name: WB white NanoC impr.**

(Contd. of page 2)

- *After eye contact:* Rinse opened eye for several minutes under running water.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
 - *Most important symptoms and effects, both acute and delayed*
Allergic reactions
For symptoms and effects caused by substances, refer to Section 11.
 - *Indication of any immediate medical attention and special treatment needed*
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- *Suitable extinguishing agents:*

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- *For safety reasons unsuitable extinguishing agents:*

Do not use a jet water stream as it may scatter and spread fire.

- **Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

- **Advice for firefighters**

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

- *Protective equipment:*

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

- **Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-I:**

| | |
|------------|---|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 |
|------------|---|

| |
|---------|
| 30 mg/m |
|---------|

(Contd. on page 4)

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 3)

| | | |
|------------|-----------------------------------|----------|
| 34590-94-8 | (2-methoxymethylethoxy)propanol | 150 ppm |
| 57-55-6 | propane-1,2-diol | 30 mg/m |
| 577-11-7 | docusate sodium | 5.7 mg/m |
| 111-90-0 | Diethylene glycol monoethyl ether | 75 ppm |

· PAC-2:

| | | |
|------------|---|------------|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | 330 mg/m |
| 34590-94-8 | (2-methoxymethylethoxy)propanol | 1700* ppm |
| 57-55-6 | propane-1,2-diol | 1,300 mg/m |
| 577-11-7 | docusate sodium | 63 mg/m |
| 111-90-0 | Diethylene glycol monoethyl ether | 100 ppm |

· PAC-3:

| | | |
|------------|---|------------|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | 2,000 mg/m |
| 34590-94-8 | (2-methoxymethylethoxy)propanol | 9900** ppm |
| 57-55-6 | propane-1,2-diol | 7,900 mg/m |
| 577-11-7 | docusate sodium | 380 mg/m |
| 111-90-0 | Diethylene glycol monoethyl ether | 450 ppm |

7 Handling and storage

· Handling:
· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities
· Storage:
· Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

· Information about storage in one common storage facility: Not required.
· Further information about storage conditions: Keep receptacle tightly sealed.
· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.
· Control parameters
· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)

US

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 4)

34590-94-8 (2-methoxymethylethoxy)propanol

| | |
|-----|---|
| PEL | Long-term value: 600 mg/m , 100 ppm Skin |
| REL | Short-term value: 900 mg/m , 150 ppm Long-term value: 600 mg/m , 100 ppm Skin |
| TLV | Long-term value: NIC-50 ppm (Skin) |

57-55-6 propane-1,2-diol

| | |
|------|--------------------------|
| WEEL | Long-term value: 10 mg/m |
|------|--------------------------|

111-90-0 Diethylene glycol monoethyl ether

| | |
|------|-------------------------|
| WEEL | Long-term value: 25 ppm |
|------|-------------------------|

· *Additional information:* The lists that were valid during the creation were used as basis.

· **Exposure controls**

· *Personal protective equipment:*

· *General protective and hygienic measures:*

Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

· *Breathing equipment:*

Short term filter device:



Suitable respiratory protective device recommended.

Filter A

· *Protection of hands:*



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· *Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· *Eye protection:* Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· *General Information*

· *Appearance:*

· *Form:* Fluid

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2022

Version number 96

Reviewed on 09/14/2022

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 5)

| | | |
|---|---|--------|
| · Color: | According to product specification | |
| · Odor: | Characteristic | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Mixture is non-polar/aprotic. Range: 7 - 9 | |
| · Change in condition | | |
| · Melting point/Melting range: | Undetermined. | |
| · Boiling point/Boiling range: | 100 °C (212 °F) | |
| · Flash point: | 75 °C (167 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | 371 °C (699.8 °F) | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Not determined. | |
| · Explosion limits: | | |
| · Lower: | 1.1 Vol % | |
| · Upper: | 14 Vol % | |
| · Vapor pressure at 20 °C (68 °F): | 0.4 hPa (0.3 mm Hg) | |
| · Density (+/- 0,03) at 20 °C (68 °F): | 1.068 g/cm (8.912 lbs/gal) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| · Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/water): | Not determined. | |
| · Viscosity: | | |
| · Dynamic: | Not determined. | |
| · Kinematic at 20 °C (68 °F): | 29 s (ISO 3 mm) | |
| · Oxidising properties: | N.A. | |
| · Solvent content: | | |
| · Water: | 63.6 % | |
| · VOC content: | 7.28 % 77.8 g/l / 0.65 lb/gal | |
| · Solids content: | 29.1 % | |
| · Other information (HAPS) | | |
| 111-90-0 | Diethylene glycol monoethyl ether | <0.5% |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | <0.1% |
| 1330-20-7 | xylene | <0.1% |
| 98-82-8 | cumene | <0.01% |
| 143-22-6 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol | <0.01% |
| 110-80-5 | 2-ethoxyethanol | <0.01% |
| · Other information | No further relevant information available. | |

US

(Contd. on page 7)

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 6)

10 Stability and reactivity

- **Reactivity** typical of the product as indicated in the data sheet
- **Chemical stability** The product is stable in normal conditions of storage and use recommended
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Acids, alkalis and oxidizing agents
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

34590-94-8 (2-methoxymethylethoxy)propanol

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 5,135 mg/kg (mouse) |
| Dermal | LD50 | 19,020 mg/kg (rabbit) |

57-55-6 propane-1,2-diol

| | | |
|--------|------|----------------------|
| Oral | LD50 | 20,000 mg/kg (mouse) |
| Dermal | LD50 | 2,001 mg/kg (mouse) |

577-11-7 docusate sodium

| | | |
|--------|------|----------------------|
| Oral | LD50 | 3,001 mg/kg (mouse) |
| Dermal | LD50 | 2,525 mg/kg (rabbit) |

111-90-0 Diethylene glycol monoethyl ether

| | | |
|--------|------|----------------------|
| Oral | LD50 | 6,031 mg/kg (mouse) |
| Dermal | LD50 | 9,143 mg/kg (rabbit) |

64742-95-6 Solvent naphtha (petroleum), light arom.

| | | |
|------------|----------|---------------------|
| Oral | LD50 | 6,801 mg/kg (mouse) |
| Dermal | LD50 | 3,401 mg/kg (rab) |
| Inhalative | LC50/4 h | 20.1 mg/l (mouse) |

55406-53-6 3-Iodo-2-propynylbutylcarbamate

| | | |
|--------|------|---------------------|
| Oral | LD50 | 500 mg/kg (mouse) |
| Dermal | LD50 | 5,001 mg/kg (mouse) |

2682-20-4 2-methyl-2H-isothiazol-3-one

| | | |
|------------|----------|-------------------|
| Oral | LD50 | 200 mg/kg (mouse) |
| Dermal | LD50 | 400 mg/kg (mouse) |
| Inhalative | LC50/4 h | 0.53 mg/l (mouse) |

3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

| | | |
|------------|----------|---------------------|
| Oral | LD50 | 1,208 mg/kg (mouse) |
| Dermal | LD50 | 1,800 mg/kg (mouse) |
| Inhalative | LC50/4 h | 1.66 mg/l (mouse) |

- **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 8)

Product number WNS321**Trade name: WB white NanoC impr.**

(Contd. of page 7)

· **Additional toxicological information:**

Irritant

May cause an allergic skin reaction.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· **Carcinogenic categories**

Titanium dioxide

IARC's Monograph No. 93 reports there is sufficient evidence of carcinogenicity in experimental rats exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans and has assigned a Group 2B rating. In addition, the IARC summary concludes, "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium is bound to other materials, such as paint."

Quartz

No significant exposure to quartz is thought to occur during the use of products in which quartz is bound to other materials, such as resin, and for quantities present in the formula

· **IARC (International Agency for Research on Cancer - Cl. 1 and 2)**

| | | |
|------------|---|-----------|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | 2B - DUST |
| 14808-60-7 | Quartz (SiO ₂) | 1 |
| 98-82-8 | cumene | 2B |

· **NTP (National Toxicology Program)**

| | | |
|------------|----------------------------|--------|
| 14808-60-7 | Quartz (SiO ₂) | <0.1% |
| 98-82-8 | cumene | <0.01% |

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:****34590-94-8 (2-methoxymethylethoxy)propanol**

| | |
|------------|--|
| EC50 | 970 mg/l (algae) (72 h) 1,919 mg/l (daphnia) (48 h) |
| LC50 (96h) | 1,001 mg/l (Fish) |

57-55-6 propane-1,2-diol

| | |
|------------|--|
| EC50 | 19,000 mg/l (algae) (48 h) 18,340 mg/l (daphnia) (48 h) |
| LC50 (96h) | 40,613 mg/l (Fish) |

577-11-7 docusate sodium

| | |
|------------|--|
| EC50 | 82.5 mg/l (algae) (72 h) 15.2 mg/l (daphnia) (48 h) |
| LC50 (96h) | 49 mg/l (Fish) |

111-90-0 Diethylene glycol monoethyl ether

| | |
|------------|----------------------|
| LC50 48h | 1,982 mg/l (daphnia) |
| LC50 (96h) | 101 mg/l (Fish) |

64742-95-6 Solvent naphtha (petroleum), light arom.

| | |
|------|-----------------------|
| EC50 | 1 mg/l (algae) (72 h) |
|------|-----------------------|

(Contd. on page 9)

Product number WNS321**Trade name: WB white NanoC impr.**

(Contd. of page 8)

| | |
|---|--|
| LC50 (96h) | 1 mg/l (daphnia) (48 h) 1 mg/l (Fish) |
| 55406-53-6 3-Iodo-2-propynylbutylcarbamate | |
| EC50 | 22 mg/l (algae) (72 h) 0.16 mg/l (daphnia) (48 h) |
| LC50 (96h) | 67 mg/l (Fish) |

- **Persistence and degradability** No further relevant information available.

| | |
|--|-----------------------------------|
| · Substances Easily biodegradable | |
| 34590-94-8 | (2-methoxymethylethoxy)propanol . |
| 57-55-6 | propane-1,2-diol . |

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

- Water hazard class 1 (Self-assessment): slightly hazardous for water

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Hand over to hazardous waste disposers.

- Dispose of contents and container in accordance with local state and federal regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

| | |
|---|--|
| <ul style="list-style-type: none"> · UN-Number | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · DOT, ADN, IMDG, IATA | Not applicable |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · Note | Check viscosity and flash point at section 9 |
| <ul style="list-style-type: none"> · UN proper shipping name | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · DOT, ADN, IMDG, IATA | Not applicable |
| <ul style="list-style-type: none"> · Transport hazard class(es) | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · DOT, ADR, ADN, IMDG, IATA | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · Class | Not applicable |
| <ul style="list-style-type: none"> · Packing group | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · DOT, IMDG, IATA | Not applicable |
| <ul style="list-style-type: none"> · Environmental hazards: | |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> · Marine pollutant: | No |

(Contd. on page 10)

Product number WNS321
Trade name: WB white NanoC impr.

(Contd. of page 9)

- | | |
|--|-----------------|
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not applicable |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

- Various regulations
- SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings) :

| | | |
|------------|-------------------------------------|--------------|
| 111-90-0 | Diethylene glycol monoethyl ether | <0.5% |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | <0.1% |
| 95-63-6 | 1,2,4-trimethylbenzene | <0.1% |
| 111-76-2 | 2-butoxyethanol | <0.1% |
| 55406-53-6 | 3-Iodo-2-propynylbutylcarbamate | ≥0.025-<0.1% |
| 1330-20-7 | xylene | <0.1% |
| 98-82-8 | cumene | <0.01% |
| 1336-21-6 | ammonia | <0.01% |
| 143-22-6 | 2-[2-(2-butoxyethoxy)ethoxy]ethanol | <0.01% |
| 110-80-5 | 2-ethoxyethanol | <0.01% |

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

| | |
|-----------|--------|
| 1330-20-7 | xylene |
| 98-82-8 | cumene |

· Proposition 65

- Chemicals known to cause cancer:
 Titanium dioxide only in bound form
 Quartz (SiO₂) only in bound form

| | | | |
|------------|---|---------------|---------|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | only for Dust | 5-9.99% |
| 14808-60-7 | Quartz (SiO ₂) | * | <0.1% |
| 98-82-8 | cumene | * | <0.01% |

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

| | | |
|----------|-----------------|--------|
| 110-80-5 | 2-ethoxyethanol | <0.01% |
|----------|-----------------|--------|

· Chemicals known to cause developmental toxicity:

| | | |
|----------|-----------------|--------|
| 110-80-5 | 2-ethoxyethanol | <0.01% |
|----------|-----------------|--------|

(Contd. on page 11)

Product number WNS321

Trade name: WB white NanoC impr.

(Contd. of page 10)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

| | | | |
|-----------|------------------------|--------|--------|
| 95-63-6 | 1,2,4-trimethylbenzene | II | <0.1% |
| 111-76-2 | 2-butoxyethanol | NL | <0.1% |
| 1330-20-7 | xylene | I | <0.1% |
| 98-82-8 | cumene | D, CBD | <0.01% |
| 526-73-8 | 1,2,3-trimethylbenzene | II | <0.01% |

· **TLV (Threshold Limit Value)**

| | | |
|------------|---|----|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | A4 |
| 14807-96-6 | Talc (Mg3H2(SiO3)4) | A4 |
| 111-76-2 | 2-butoxyethanol | A3 |
| 14808-60-7 | Quartz (SiO2) | A2 |
| 1330-20-7 | xylene | A4 |

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

| | | |
|------------|---|---------|
| 13463-67-7 | Titanium dioxide C.I. 77891 Pigment white 6 | 5-9.99% |
| 14808-60-7 | Quartz (SiO2) | <0.1% |

· **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** IVM Chemicals Srl

· **Contact:** See emergency phone

· **Date of preparation / last revision** 09/14/2022 / 95

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids . Category 4

Acute Toxicity - Oral 4: Acute toxicity . Category 4

Acute Toxicity - Inhalation 3: Acute toxicity . Category 3

Skin Corrosion 1B: Skin corrosion/irritation . Category 1B

Skin Irritation 2: Skin corrosion/irritation . Category 2

Eye Damage 1: Serious eye damage/eye irritation . Category 1

Eye Irritation 2A: Serious eye damage/eye irritation . Category 2A

Sensitization - Skin 1: Skin sensitisation . Category 1

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) . Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard . Category 1

(Contd. on page 12)

Product number WNS321

Trade name: WB white NanoC impr.

(Contd. of page 11)

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard . Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard . Category 1

· Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site

INRS Fiche Toxicologique

IARC International agency for research on cancer

· * Data compared to the previous version altered.

US