

Printing date 08/15/2022 Version number 77

Reviewed on 08/15/2022

## 1 Identification

- · Product identifier
  - · Product number PF5T02
  - · Trade name: UNIVERSAL DYE CHERRY
    - · Application of the substance / the mixture For professional use
- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

IVM Chemicals Srl

Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Flammable Liquids 2 H225 Highly flammable liquid and vapor. Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 3H336 May cause drowsiness or dizziness.

### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02 GHS07

3HS07 GH

· Signal word Danger

## · Hazard-determining components of labeling:

1-methoxy-2-propanol

2-methoxypropanol

acetone

C.I. ACID BLACK 194

## · Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)



Printing date 08/15/2022

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 1)

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

Reactivity = 0

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

-	as components:	75 4000/
107-98-2	1-methoxy-2-propanol  Flammable Liquids 3, H226  Specific Target Organ Toxicity - Single Exposure 3, H336	75-100%
67-64-1	acetone	12.5-15%
	<ul> <li>Flammable Liquids 2, H225</li> <li>Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336</li> </ul>	
72275-69-5	C.I. ACID ORANGE 139	1-2.49%
	Aquatic Chronic 2, H411 Aquatic Acute 2, H401	
112-34-5	2-(2-butoxyethoxy)ethanol  © Eye Irritation 2A, H319	1-2.49%
72496-88-9	C.I. Acid Yellow 151	≥0.5-<1%
	<ul> <li>Carcinogenicity 2, H351</li> <li>Sensitization - Skin 1B, H317</li> <li>Aquatic Acute 3, H402; Aquatic Chronic 3, H412</li> </ul>	
57693-14-8	C.I. ACID BLACK 194	≥0.5-<1%
	Aquatic Chronic 2, H411  Eye Irritation 2A, H319; Sensitization - Skin 1, H317  Aquatic Acute 2, H401	
34590-94-8	(2-methoxymethylethoxy)propanol	<1%
	Flammable Liquids 4, H227	
1589-47-5	2-methoxypropanol  Flammable Liquids 3, H226  Toxic to Reproduction 1B, H360  Eye Damage 1, H318  Skin Irrititation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H335	≥0.1-<0.5%



Printing date 08/15/2022

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 2)

# 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist , consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
  - Most important symptoms and effects, both acute and delayed Allergic reactions

For symptoms and effects caused by substances, refer to Section 11.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

### Extinguishing media

· Suitable extinguishing agents:

Alcohol resistant foam

Alcohol resistant foam, CO, powder, water spray/mist.

· For safety reasons unsuitable extinguishing agents:

Do not use a jet water stream as it may scatter and spread fire.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Printing date 08/15/2022 Versio

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 3)

## · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

## · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### Protective Action Criteria for Chemicals

1-methoxy-2-propanol	100 ppm
acetone	200 ppm
2-(2-butoxyethoxy)ethanol	30 ppm
(2-methoxymethylethoxy)propanol	150 ppm
1-methoxy-2-propanol	160 ppm
acetone	3200* ppm
2-(2-butoxyethoxy)ethanol	33 ppm
(2-methoxymethylethoxy)propanol	1700* ppm
1-methoxy-2-propanol	660 ppm
acetone	5700* ppm
2-(2-butoxyethoxy)ethanol	200 ppm
(2-methoxymethylethoxy)propanol	9900** ppm
	acetone 2-(2-butoxyethoxy)ethanol (2-methoxymethylethoxy)propanol  1-methoxy-2-propanol acetone 2-(2-butoxyethoxy)ethanol (2-methoxymethylethoxy)propanol  1-methoxy-2-propanol acetone 2-(2-butoxyethoxy)ethanol

# 7 Handling and storage

#### Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Protect against electrostatic charges.

Keep respiratory protective device available.

Use explosion-proof apparatus / fittings and spark-proof tools.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
  - · Requirements to be met by storerooms and receptacles:

Store in a cool, well-ventilated area, away from heat and sources of ignition

Provide solvent resistant, sealed floor.

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

· Information about storage in one common storage facility: Not required.

(Contd. on page 5)



Printing date 08/15/2022 Version number 77 Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 4)

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
  - · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 107-98-2 1-methoxy-2-propanol

REL Short-term value: 540 mg/m³, 150 ppm

Long-term value: 360 mg/m³, 100 ppm

TLV Short-term value: 100 ppm Long-term value: 50 ppm

A4

## 67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm Long-term value: 250 ppm

A4, BEI

## 112-34-5 2-(2-butoxyethoxy)ethanol

TLV Long-term value: 10\* ppm
\*Inhalable fraction and vapor

## 34590-94-8 (2-methoxymethylethoxy)propanol

PEL Long-term value: 600 mg/m³, 100 ppm

Skin

REL Short-term value: 900 mg/m³, 150 ppm

Long-term value: 600 mg/m³, 100 ppm

Skin

TLV Long-term value: NIC-50 ppm

(Skin)

#### · Ingredients with biological limit values:

### 67-64-1 acetone

BEI 25 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
  - · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 6)



Printing date 08/15/2022 Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 5)

Store protective clothing separately.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

· Breathing equipment:

Short term filter device:

Filter AX



Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

<ul> <li>Information</li> </ul>	on basic	physical	and	chemical	properties
minomination	OII NUSIO	pilysical	uiiu	Ulicilioui	pi opci aco

- · General Information
  - · Appearance:

· Form: Fluid

· Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Mixture is non-polar/aprotic.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 56 °C (132.8 °F)

*· Flash point:* -17 °C (1.4 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 225 °C (437 °F)

(Contd. on page 7)



Printing date 08/15/2022 Version number 77 Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

	(Contd. of pag
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosi air/vapor mixtures are possible.
· Explosion limits:	
·Lower:	0.9 Vol %
$\cdot$ Upper:	~20 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
· Density (+/- 0,03) at 20 °C (68 °F):	0.904 g/cm³ (7.544 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not determined.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic at 20 °C (68 °F):	40 s (ISO 4 mm)
· Oxidising properties:	N.A.
· Solvent content:	
· VOC content:	83.18 %
	752.0 g/l / 6.28 lb/gal
· Solids content:	3.8 %
Other information (HAPS)	
112-34-5 2-(2-butoxyethoxy)ethanol	1-2.49
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- · Chemical stability The product is stable in normal conditions of storage and use recommended
  - · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Vapours may form explosive mixtures with air
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products:

in case of possible formation of combustion:

Carbon monoxide and carbon dioxide

HS



Printing date 08/15/2022

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 7)

# 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

1100000	new towery.		
· LD/LC50 values that are relevant for classification:			
107-98-2 1-methoxy-2-propanol			
Oral	LD50	4,016 mg/kg (mouse)	
Dermal	LD50	5,001 mg/kg (rabbit)	
Inhalative	LC50/4 h	5,001 mg/l (mouse)	
67-64-1 a	cetone		
Oral	LD50	5,800 mg/kg (mouse)	
Dermal	LD50	20,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	76 mg/l (mouse)	
72275-69-5 C.I. ACID ORANGE 139		D ORANGE 139	
Oral	LD50	5,001 mg/kg (mouse)	
112-34-5	2-(2-butox	yethoxy)ethanol	
Oral	LD50	6,600 mg/kg (mouse)	
Dermal	LD50	2,764 mg/kg (rabbit)	
72496-88-9 C.I. Acid Yellow 151		d Yellow 151	
Oral	LD50	5,001 mg/kg (mouse)	
34590-94	8 (2-meth	oxymethylethoxy)propanol	
Oral	LD50	5,135 mg/kg (mouse)	
Dermal	LD50	19,020 mg/kg (rabbit)	

- · Primary irritant effect:
  - on the skin: No irritant effect.
  - · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

Irritant

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause drowsiness or dizziness.

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)	
72496-88-9 C.I. Acid Yellow 151	2

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

US

2B



Printing date 08/15/2022 Version

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 8)

# 12 Ecological information

## · Toxicity

· Aquatic t	· Aquatic toxicity:		
107-98-2 1-	methoxy-2-propanol		
EC50	21,100 mg/l (daphnia) (48 h)		
LC50 (96h)	6,812 mg/l (Fish)		
67-64-1 ace	etone		
EC50	8,800 mg/l (daphnia)		
LC50 (96h)	5,540 mg/l (Fish)		
112-34-5 2-	(2-butoxyethoxy)ethanol		
EC50	1,001 mg/l (daphnia) (48 h)		
LC50 (96h)	1,300 mg/l (Leuciscus idus melanotus)		
34590-94-8 (2-methoxymethylethoxy)propanol			
EC50	970 mg/l (algae) (72 h)		
	1,919 mg/l (daphnia) (48 h)		
LC50 (96h)	1,001 mg/l (Fish)		

### · Persistence and degradability No further relevant information available.

Substances	Facily	biodegradabl	0
	LUSLLV	maeriaaam	e

~·····································		
	1-methoxy-2-propanol	
67-64-1	acetone	
112-34-5	2-(2-butoxyethoxy)ethanol	

# Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

## · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

## · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

#### · Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

119



Printing date 08/15/2022 Version number 77 Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 9)

500 ml	4 Transport information		
. Note Check viscosity and flash point at section 9  . UN proper shipping name . DOT . IMDG, IATA . Paint . PAINT  . Transport hazard class(es) . DOT . Class . Label . ODT, IMDG, IATA  . IMDG, IATA  . IMDG, IATA  . IMDG, IATA  . II  . Packing group . DOT, IMDG, IATA  . Packing group . DOT, IMDG, IATA  . II  . Environmental hazards: . Marine pollutant: . No  . Special precautions for user . Hazard identification number (Kemler code): . Stowage Category . Stowage Category . Transport in bulk according to Annex II of MARPOLT3/78 and the IBC Code . Transport/Additional information: . IMDG . Limited quantities (LQ) . Excepted qua	· UN-Number		
UN proper shipping name DOT IMDG, IATA Paint PAINT  Transport hazard class(es)  DOT  Class Label Class Label Class Label 3 Flammable liquids 1 Fracking group DOT, IMDG, IATA II Furvironmental hazards: Marine pollutants: Flammable liquids Flammable liquids Free, Se		UN1263	
UN proper shipping name DOT IMDG, IATA Paint PAINT  Transport hazard class(es)  DOT  Class Label Class Label Class Label 3 Flammable liquids 1 Fracking group DOT, IMDG, IATA II Furvironmental hazards: Marine pollutants: Flammable liquids Flammable liquids Free, Se	· Note	Check viscosity and flash point at section 9	
DOT IMDG, IATA PAINT  Transport hazard class(es)  DOT  Class Class Label Class Label Class Label 3 Class Label 3 Flammable liquids 3  Packing group DOT, IMDG, IATA  Forvironmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): Special precautions for user Hazard identification number (Kemler code): F-E.S-E Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E2 Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: ml	· UN proper shipping name		
Transport hazard class(es)  DOT  Class Class Label Class Label 3 Flammable liquids 1 F			
Class Class Class Class Class Class Class Clase Class	· IMDG, IATA	PAINT	
Class Label Class Label Class Label TIMDG, IATA  Class Label  Class Label  Class Label  Class Label  Class A Flammable liquids	· Transport hazard class(es)		
Label 3 Class 3 Flammable liquids  Label 3  IMDG, IATA  Class 3 Flammable liquids  Label 3  Packing group DOT, IMDG, IATA     Environmental hazards: Marine pollutant: No  Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: ml Maximum net quantity per outer packaging: 500 ml	$\cdot$ DOT		
Label 3 Class 3 Flammable liquids  Label 3  IMDG, IATA  Class 3 Flammable liquids  Label 3  Packing group DOT, IMDG, IATA     Environmental hazards: Marine pollutant: No  Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: ml Maximum net quantity per outer packaging: 500 ml	FLAMMBLE LOUD		
Label 3 Class 3 Flammable liquids Label 3  IMDG, IATA  Class 3 Flammable liquids Label 3  Packing group DOT, IMDG, IATA     Environmental hazards: Marine pollutant: No  Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Excepted quantity per outer packaging: ml Maximum net quantity per outer packaging: ml Maximum net quantity per outer packaging: 500 ml	· Class	3 Flammable liquids	
Idbel 3  IMDG, IATA  Class 3 Flammable liquids Label 3  Packing group DOT, IMDG, IATA     Environmental hazards: Marine pollutant: No  Special precautions for user Warning: Flammable liquids Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: ml Maximum net quantity per outer packaging: 500 ml		3	
· IMDG, IATA  · Class · Label · Label · Packing group · DOT, IMDG, IATA    I    · Environmental hazards: · Marine pollutant: · No  · Special precautions for user · Hazard identification number (Kemler code): · Stowage Category · Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code · Transport/Additional information:  · IMDG · Limited quantities (LQ) · Excepted quantities (EQ)  · Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: ml Maximum net quantity per outer packaging: 500 ml		•	
Class Label 3 Flammable liquids 1 Label 3 Flammable liquids 3  Packing group DOT, IMDG, IATA II  Environmental hazards: Marine pollutant: No  Special precautions for user Hazard identification number (Kemler code): Stowage Category F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: 500 ml		3	
· Label 3  · Packing group · DOT, IMDG, IATA        · Environmental hazards: · Marine pollutant: No  · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E · Stowage Category B  · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  · Transport/Additional information:  · IMDG · Limited quantities (LQ) 5L · Excepted quantities (EQ) 5L Code: E2 Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: 500 ml	· IMDG, IATA		
· Label 3  · Packing group · DOT, IMDG, IATA        · Environmental hazards: · Marine pollutant: No  · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E · Stowage Category B  · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  · Transport/Additional information:  · IMDG · Limited quantities (LQ) 5L · Excepted quantities (EQ) 5L Code: E2 Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: 500 ml	Class	3 Flammable liquids	
• DOT, IMDG, IATA  • Environmental hazards: • Marine pollutant:  • Special precautions for user • Hazard identification number (Kemler code): • Stowage Category • Stowage Category • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: • IMDG • Limited quantities (LQ) • Excepted quantities (EQ)  • Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml  Maximum net quantity per outer packaging: 500 ml			
• Marine pollutant:  • Special precautions for user • Hazard identification number (Kemler code): • EMS Number: • Stowage Category  • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code • Not applicable.  • Transport/Additional information: • IMDG • Limited quantities (LQ) • Excepted quantities (EQ)  — Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging: 500 ml		II .	
<ul> <li>Special precautions for user</li></ul>	· Environmental hazards:		
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-E Stowage Category B  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml Maximum net quantity per outer packaging 500 ml	· Marine pollutant:	No	
• EMS Number: • Stowage Category  • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: • IMDG • Limited quantities (LQ) • Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml  Maximum net quantity per outer packaging: 500 ml			
<ul> <li>Stowage Category</li> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.</li> <li>Transport/Additional information:         <ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Maximum net quantity per inner packaging: ml</li> <li>Maximum net quantity per outer packaging: 500 ml</li> </ul> </li> </ul>			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  IMDG  Limited quantities (LQ)  Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml  Maximum net quantity per outer packaging: 500 ml			
• IMDG  • Limited quantities (LQ) • Excepted quantities (EQ)  Maximum net quantity per inner packaging: ml  Maximum net quantity per outer packaging 500 ml	· Transport in bulk according to Annex II of		
• Limited quantities (LQ) • Excepted quantities (EQ)  — Maximum net quantity per inner packaging: — ml — Maximum net quantity per outer packaging 500 ml	· Transport/Additional information:		
· Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging:  mI  Maximum net quantity per outer packagin  500 ml	· IMDG		
Maximum net quantity per inner packaging: ml Maximum net quantity per outer packagi 500 ml			
ml Maximum net quantity per outer packagi 500 ml	· Excepted quantities (EQ)		
500 ml		ml	
. IIN "Model Pegulation":   IIN 1262 DAINT 2 II		Maximum net quantity per outer packaging 500 ml	
· ON INCUENCEURATION . CIN IZOS FAINT. S. II	· UN "Model Regulation":	UN 1263 PAINT, 3, II	



Printing date 08/15/2022

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

Trade name: UNIVERSAL DYE CHERRY

(Contd. of page 10)

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

- · Various regulations
  - · SARA

· Sec	ction 355 (extremely hazardous substances):	
None of the ingredients is listed.		
· Section 313 (Specific toxic chemical listings) :		
112-34-5	2-(2-butoxyethoxy)ethanol	1-2.49%
72496-88-9	C.I. Acid Yellow 151	≥0.5-<1%

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

72496-88-9 C.I. Acid Yellow 151

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

1589-47-5 2-methoxypropanol

≥0.1-<0.5%

- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
  - · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)	
67-64-1 acetone	I 12.5-15%
· TLV (Threshold Limit Value)	
67-64-1 acetone	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
  - The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
  - · Date of preparation / last revision 08/15/2022 / 76
  - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 12)



Printing date 08/15/2022

Version number 77

Reviewed on 08/15/2022

Product number PF5T02

UNIVERSAL DYE CHERRY Trade name:

(Contd. of page 11)

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Flammable Liquids 4: Flammable liquids - Category 4

Skin Irrititation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1 Sensitization - Skin 1B: Skin sensitisation - Category 1B

Carcinogenicity 2: Carcinogenicity - Category 2

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique

IARC International agency for research on cancer

\* \* Data compared to the previous version altered.