

Safety Data Sheet acc. to OSHA HCS

Printing date 08/15/2022

Version number 36

Reviewed on 06/15/2022

1 Identification

- · Product identifier
 - · Product number PD3/003
 - Trade name: <u>SB GLAZE SIENNA CONC</u> • Application of the substance / the mixture For professional use
 - · Application of the substance / the mixture For professional
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier: IVM Chemicals Srl
 Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441
 - Information department: Environmental Health and safety office hseoffice @ivmchemicals.com
 - Emergency telephone number: ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4

H227 Combustible liquid. Flam. Liq. 4

Specific Target Organ Toxicity - Single Exposure 3H336 May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics n-butyl acetate

- · Hazard statements
- H227 Combustible liquid. Flam. Liq. 4
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
 - P210 Keep away from flames and hot surfaces. No smoking.
 - P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P405 Store locked up.
- *P501* Dispose of contents/container in accordance with local/regional/national/ international regulations.
- · Classification system:

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

⁻ US



Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/15/2022

Printing date 08/15/2022

Version number 36

Product number	PD3/003
Trade name:	SB GLAZE SIENNA CONC

HEALT FIRE	-ratings (scale 0 - 4)	Contd. of page '
Chemica · Descri	sition/information on ingredients I characterization: Mixtures ption: Mixture: consisting of the following components.	
· Dange	rous components:	000000000
	 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Flammable Liquids 3, H226 Aspiration Hazard 1, H304 Specific Target Organ Toxicity - Single Exposure 3, H336 	20-24.99%
111-76-2	2-butoxyethanol	2.5-4.99%
	Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irrititation 2, H315; Eye Irritation 2A, H319	
	Flammable Liquids 4, H227	
123-86-4		2.498%

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- personal protective equipment for first aid responders is recommended. (please see section 8)
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed

- For symptoms and effects caused by substances, refer to Section 11.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents:
- Do not use a jet water stream as it may scatter and spread fire.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 06/15/2022

Printing date 08/15/2022

Chemicals

Version number 36

Product number	[•] PD3/003
Trade name:	SB GLAZE SIENNA CONC

(Contd. of page 2)

 Carbon monoxide (CO) Advice for firefighters Cool by spraying with water the containers to prevent product decomposition of substances potentially hazardous for health and also, in the case of closed to flames to prevent explosions. Protective equipment: Hardhat with visor, fireproof clothing, suitable gloves and if necessary redevice. 	d containers expose
6 Accidental release measures	
 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow to enter sewers/ surface or ground Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal bir Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. 	d water.
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: 	60 ppg
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals ·PAC-1: 111-76-2 2-butoxyethanol	60 ppm
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals ·PAC-1: 111-76-2 2-butoxyethanol 123-86-4 n-butyl acetate	60 ррп 5 ррт
• Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: 111-76-2 2-butoxyethanol 123-86-4 n-butyl acetate • PAC-2:	5 ppm
Reference to other sectionsSee Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.Protective Action Criteria for Chemicals·PAC-1:111-76-22-butoxyethanol123-86-4n-butyl acetate·PAC-2:111-76-22-butoxyethanol	5 ppm 120 ppm
Reference to other sectionsSee Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.Protective Action Criteria for Chemicals·PAC-1:111-76-22-butoxyethanol123-86-4n-butyl acetate·PAC-2:111-76-22-butoxyethanol123-86-4n-butyl acetate123-86-4n-butyl acetate	5 ppm
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals ·PAC-1: 111-76-2 2-butoxyethanol 123-86-4 n-butyl acetate ·PAC-2: 111-76-2 2-butoxyethanol 123-86-4 n-butyl acetate ·PAC-3:	5 ppm 120 ppm 200 ppm
Reference to other sectionsSee Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.Protective Action Criteria for Chemicals·PAC-1:111-76-22-butoxyethanol123-86-4n-butyl acetate·PAC-2:111-76-22-butoxyethanol123-86-4n-butyl acetate123-86-4n-butyl acetate	5 ppm 120 ppm

Hondling

- · Handling:
 - · Precautions for safe handling
 - Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 - Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.
 - In cases where there is no reported expiration date , it means that the product must be used within 8 months.

(Contd. on page 4)

US



Safety Data Sheet acc. to OSHA HCS

Version number 36

Reviewed on 06/15/2022

Printing date 08/15/2022

Product number PD3/003 Trade name: SB GLAZE SIENNA CONC

(Contd. of page 3)

• Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed.

• **Specific end use(s)** Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- · Components with limit values that require monitoring at the workplace:
 - The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
 - At this time, the remaining constituent has no known exposure limits.

111-76-2 2-butoxyethanol

- PEL Long-term value: 240 mg/m³, 50 ppm Skin
- REL Long-term value: 24 mg/m³, 5 ppm Skin
- TLV Long-term value: 20 ppm BEI, A3

123-86-4 n-butyl acetate

- PEL Long-term value: 710 mg/m³, 150 ppm
- REL Short-term value: 950 mg/m³, 200 ppm
- Long-term value: 710 mg/m³, 150 ppm
- TLV Short-term value: 150 ppm Long-term value: 50 ppm

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine

Medium: urine

Time: end of shift

Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
 - General protective and hygienic measures: Wash hands before breaks and at the end of work. • Breathing equipment:
 - Short term filter device:



Suitable respiratory protective device recommended.

Filter A • Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Printing date 08/15/2022

Version number 36

Reviewed on 06/15/2022

roduct number PD3/003 rade name: SB GLAZE SIENNA CONC	
	(Contribution of a contribution of a contributic of a contribution of a contribution of a contribution
The glove material has to be im	Contd. of page 4 (Contd. of page 4) (Contd. of page 4
· Material of gloves	
	e gloves does not only depend on the material, but also or
	varies from manufacturer to manufacturer. As the product is
	ubstances, the resistance of the glove material can not be
	as therefore to be checked prior to the application.
• Penetration time of glove mate	
	ne has to be found out by the manufacturer of the protective
gloves and has to be observ	
· Eye protection: Goggles recomn	
9 Physical and chemical prope	rties
· Information on basic physical and	
· General Information	chemical properties
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Mixture is non-polar/aprotic.
· Change in condition	
• Melting point/Melting range:	
• Boiling point/Boiling range:	124-128 °C (255.2-262.4 °F)
· Flash point:	62 °C (143.6 °F)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	240 °C (464 °F)
• Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
· Lower:	0.6 Vol %
· Upper:	10.6 Vol %
• Vapor pressure at 20 \bullet C (68 \bullet F):	10.7 hPa (8 mm Hg)
• Density (+/- 0,03) at 20 • C (68 • F):	0.997 g/cm ³ (8.32 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
• Kinematic at 20 •C (68 •F):	38 s (ISO 6 mm)
• Oxidising properties:	N.A.
· Oxidising properties.	



Version number 36

Reviewed on 06/15/2022

Product number PD3/003

Printing date 08/15/2022

SB GLAZE SIENNA CO	DNC	
		(Contd. of page 5)
tent:		
itent:	30.27 %	
	301.8 g/l / 2.52 lb/gal	
ntent:	69.7 %	
ation (HAPS)		
nation	No further relevant information available.	
	SB GLAZE SIENNA CO tent: atent: ation (HAPS) gredients is listed. nation	attent: 30.27 % 301.8 g/l / 2.52 lb/gal ontent: 69.7 % ation (HAPS) gredients is listed.

10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- · Chemical stability The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions Vapours may form explosive mixtures with air
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

	· Acute toxicity:			
	· LD/LC50 values that are relevant for classification:			
	ATE (Acute Toxicity Estimate)			
	Oral	LD50	26,113 mg/kg (ATE)	
	Dermal	LD50	23,937 mg/kg (rab)	
	Inhalative	LC50/4 h	239 mg/l (mouse)	
Γ	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics			
	Oral	LD50	5,001 mg/kg (mouse)	
	Dermal	LD50	5,001 mg/kg (rabbit)	
	111-76-2	2-butoxye	thanol	
	Oral	LD50	1,200 mg/kg (ATE)	
			1,480 mg/kg (mouse)	
	Dermal	LD50	1,100 mg/kg (rab)	
	Inhalative	LC50/4 h	11 mg/l (mouse)	
	123-86-4 n-butyl acetate			
	Oral	LD50	10,760 mg/kg (mouse)	
	Dermal	LD50	14,000 mg/kg (rabbit)	
	Inhalative	LC50/4 h	21.1 mg/l (mouse)	
	· Primary irritant effect:			
	on the skin: No irritant effect.			
			No irritating effect. No sensitizing effects known.	
			ogical information: May cause drowsiness or dizziness.	
	·Auanio			(Contd. on page 7)
				US



Safety Data Sheet acc. to OSHA HCS

Version number 36

Reviewed on 06/15/2022

Product number PD3/003 Trade name: SB GLAZE SIENNA CONC

Printing date 08/15/2022

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

	12 Ecolo	gical information
--	----------	-------------------

 Toxicity 		xicity
------------------------------	--	--------

• Aquatic toxicity:

111-76-2 2-butoxyethanol

EC50 101 mg/l (daphnia) (24 h)

LC50 (96h) 101 mg/l (Fish) 123-86-4 n-butyl acetate

EC50 397 mg/l (algae) (72 h)

44 mg/l (daphnia) (48 h)

LC50 (96h) 18 mg/l (Fish)

• Persistence and degradability No further relevant information available.

· Substances Easily biodegradable

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics .

111-76-2 2-butoxyethanol

123-86-4 n-butyl acetate

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



Safety Data Sheet acc. to OSHA HCS

Version number 36

Reviewed on 06/15/2022

(Contd. of page 7)

Printing date 08/15/2022

Product number PD3/003 Trade name: SB GLAZE SIENNA CONC

14 Transport information · UN-Number · DOT, ADN, IMDG, IATA Not applicable Check viscosity and flash point at section 9 · Note · UN proper shipping name · DOT, ADN, IMDG, IATA Not applicable · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Not applicable · Packing group Not applicable · DOT, IMDG, IATA · Environmental hazards: · Marine pollutant: No Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": Not applicable

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Various regulations

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings) :

111-76-2 2-butoxyethanol

• TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

2.5-4.99%



Version number 36

Reviewed on 06/15/2022

Product number PD3/003 Trade name: SB GLAZE SIENNA CONC

(Contd. of page 8)

NL 2.5-4.99%

A3

· Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

Printing date 08/15/2022

· TLV (Threshold Limit Value)

111-76-2 2-butoxyethanol

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- Contact: See emergency phone
 - · Date of preparation / last revision 08/15/2022 / 35 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids - Category 3 Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Irrititation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard - Category 1 Sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments Agency ECHA web site **INRS Fiche Toxicologique** IARC International agency for research on cancer \cdot * Data compared to the previous version altered.