

Printing date 08/08/2022

Version number 1

Reviewed on 08/08/2022

1 Identification

- · Product identifier
 - · Product number HTM5B036
 - · Trade name: KLIMA WB NANO-TECH CLEAR 10SHN
 - · Application of the substance / the mixture For professional use
- · Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

IVM Chemicals Srl

Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number:

ChemTel Expert Assistance Hotline/SDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

adipohydrazide

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · Classification system:
 - · NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

(Contd. on page 2)



Printing date 08/08/2022

Version number 1

Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerou	is components:	
34590-94-8	(2-methoxymethylethoxy)propanol	1-<5%
	Flammable Liquids 4, H227	
112-34-5	2-(2-butoxyethoxy)ethanol	2.5-4.99%
	💠 Eye Irritation 2A, H319	
	Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	≥0.25-<0.5%
	Aquatic Chronic 2, H411 Sensitization - Skin 1, H317	
1336-21-6	ammonia	<0.25%
	Skin Corrosion 1B, H314 Aquatic Acute 1, H400	
1071-93-8	adipohydrazide	≥0.1-<0.25%
	Aquatic Chronic 2, H411 Sensitization - Skin 1, H317 Aquatic Acute 2, H401	
55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)	≥0.00025-<0.00159
	 Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 2, H310; Acute Toxicity - Inhalation 2, H330 Skin Corrosion 1B, H314; Eye Damage 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 	
	(M=100) ♦ Sensitization - Skin 1A, H317	

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 2)

· After swallowing: Do not induce vomiting; immediately call for medical help.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

For symptoms and effects caused by substances, refer to Section 11.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:
 Do not use a jet water stream as it may scatter and spread fire.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

1 101001110 1	Total of total of official of official of official of official of official	
· PAC-1:		
34590-94-8	(2-methoxymethylethoxy)propanol	150 ppm
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
7631-86-9	silicon dioxide, chemically prepared	18 mg/m³
1336-21-6	ammonia	61 ppm
· PAC-2:		
34590-94-8	(2-methoxymethylethoxy)propanol	1700* ppm
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
		(Contd. on page 4



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

7631-86-9	silicon dioxide, chemically prepared	(Contd. of page 3) 740 mg/m³
1336-21-6	ammonia	330 ppm
· PAC-3:		
34590-94-8	(2-methoxymethylethoxy)propanol	9900** ppm
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
7631-86-9	silicon dioxide, chemically prepared	4,500 mg/m³
1336-21-6	ammonia	2,300 ppm

7 Handling and storage

- · Handling:
 - · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Α	At this time, the other constituents have no known exposure limits.		
3459	34590-94-8 (2-methoxymethylethoxy)propanol		
PEL	Long-term value: 600 mg/m³, 100 ppm Skin		
REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin		
TLV	Long-term value: NIC-50 ppm (Skin)		
112-	112-34-5 2-(2-butoxyethoxy)ethanol		
TLV	Long-term value: 10* ppm *Inhalable fraction and vapor		

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 4)

· Exposure controls

- · Personal protective equipment:
 - General protective and hygienic measures:
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 - · Breathing equipment: Short term filter device:



Suitable respiratory protective device recommended.

Filter A

· Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

nformation on basic physical and · General Information	• •	
· Appearance:		
· Form:	Fluid	
· Color:	According to product specification	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Mixture is non-polar/aprotic.	
•	Range: 7 - 9	
· Change in condition		
· Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	96 °C (204.8 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	225 °C (437 °F)	
· Decomposition temperature:	Not determined.	

d. on page (



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

		(Contd. of page
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion haza	rd.
· Explosion limits:		
· Lower:	0.9 Vol %	
· Upper:	14 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.4 hPa (0.3 mm Hg)	
· Density (+/- 0,03) at 20 °C (68 °F):	1.03 g/cm³ (8.595 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic at 20 °C (68 °F):	60 s (ISO 6 mm)	
· Oxidising properties:	N.A.	
· Solvent content:		
· Water:	60.4 %	
· VOC content:	5.58 %	
	57.5 g/l / 0.48 lb/gal	
· Solids content:	33.7 %	
Other information (HAPS)		
112-34-5 2-(2-butoxyethoxy)ethanol		2.5-4.999
143-22-6 2-[2-(2-butoxyethoxy)ethox	y]ethanol	<0.1%
· Other information	No further relevant information available.	1

10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
- · Chemical stability The product is stable in normal conditions of storage and use recommended
 - · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Acids, alkalis and oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:
 - · LD/LC50 values that are relevant for classification:

34590-94-8 (2-methoxymethylethoxy)propanol

Oral LD50 5,135 mg/kg (mouse)

(Contd. on page 7)



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 6) Dermal LD50 19,020 mg/kg (rabbit) 112-34-5 2-(2-butoxyethoxy)ethanol Oral LD50 6,600 mg/kg (mouse) Dermal LD50 2,764 mg/kg (rabbit) Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omegahydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyloxypoly(oxyethylene) LD50 5,001 mg/kg (mouse) (OECD - 401) Dermal LD50 2,001 mg/kg (mouse) (OECD - 402) 1336-21-6 ammonia Oral LD50 3,500 mg/kg (mouse) 1071-93-8 adipohydrazide LD50 2,001 mg/kg (mouse) Oral

- · Primary irritant effect:
 - · on the skin: No irritant effect.
 - · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

Irritant

May cause an allergic skin reaction. Safety data sheet available on request.

- · Carcinogenic categories
 - · IARC (International Agency for Research on Cancer Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· I oxicity			
· Aquatic t	· Aquatic toxicity:		
34590-94-8	34590-94-8 (2-methoxymethylethoxy)propanol		
EC50	970 mg/l (algae) (72 h)		
	1,919 mg/l (daphnia) (48 h)		
LC50 (96h)	1,001 mg/l (Fish)		
112-34-5 2-	(2-butoxyethoxy)ethanol		
EC50	1,001 mg/l (daphnia) (48 h)		
LC50 (96h)	1,300 mg/l (Leuciscus idus melanotus)		
Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)			
EC50	101 mg/l (algae) (72h)		

(Contd. on page 8)



Printing date 08/08/2022 Version number 1 Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 7)
4 mg/l (daphnia) (OECD linee guida 202 parte 1)
2.8 mg/l (Leuciscus idus melanotus) (OECD linee guida 203)
mmonia
101 mg/l (daphnia) (96 h)
0.89 mg/l (Fish)
dipohydrazide
9.19 mg/l (algae) (72 h)
101 mg/l (daphnia) (48 h)
101 mg/l (Fish)
a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)
0.027 mg/l (algae) (72 h)
0.16 mg/l (daphnia) (48 h)
0.19 mg/l (Fish)

· Persistence and degradability No further relevant information available.

· Substances Easily biodegradable		
	(2-methoxymethylethoxy)propanol	Γ
112-34-5	2-(2-butoxyethoxy)ethanol	

Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT, ADN, IMDG, IATA	Not applicable
· Note	Check viscosity and flash point at section 9
UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not applicable



Printing date 08/08/2022 Version

Version number 1

Reviewed on 08/08/2022

Product number HTM5B036

Trade name: KLIMA WB NANO-TECH CLEAR 10SHN

(Contd. of page 8)

· Transpoi	t hazard	class	(es))
------------	----------	-------	------	---

· DOT, ADR, ADN, IMDG, IATA

· Class Not applicable

· Packing group

· DOT, IMDG, IATA Not applicable

· Environmental hazards:

· Marine pollutant: No

· **Special precautions for user** Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": Not applicable

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Various regulations
 - · SARA

· Section 355 (extremely hazardous substances):				
None of the ingredients is listed.				
· Section 313 (Specific toxic chemical listings):				
112-34-5 2-(2-butoxyethoxy)ethanol	2.5-4.99%			
1336-21-6 ammonia	1336-21-6 ammonia <0.25%			
1314-13-2 zinc oxide ≥0.025-<0.1%				
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol <0.1%				
TSCA (Taxia Substances Control Act):				

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
 - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

1314-13-2 zinc oxide D, I, II ≥0.025-<0.1%

(Contd. on page 10)



Printing date 08/08/2022

Version number 1

Reviewed on 08/08/2022

Product number HTM5B036

KLIMA WB NANO-TECH CLEAR 10SHN Trade name:

(Contd. of page 9)

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
 - · Date of preparation / last revision 08/08/2022 / -
 - · Abbreviations and acronvms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids - Category 4

Acute Toxicity - Oral 3: Acute toxicity - Category 3
Acute Toxicity - Dermal 2: Acute toxicity - Category 2

Skin Corrosion 1B: Skin corrosion/irritation - Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site

INRS Fiche Toxicologique

IARC International agency for research on cancer

* * Data compared to the previous version altered.