

Printing date 08/01/2019

Version number 37

Reviewed on 08/01/2019

1 Identification

- · Product identifier
 - · Product number PD603
 - · Trade name: WB STAIN COLORANT-YELLOW OXIDE
 - · Application of the substance / the mixture For professional use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: IVM Chemicals srl Viale della Stazione 3 -27020 Parona (PV) Italy tel +39 038425441

1.3.2 Importer Name I.C.& S. DISTRIBUTING CO. Address P.O.BOX 10845 LANCASTER. PA USA E-Mail: nelson@ics-company.com

- · Information department: Environmental Health and safety office hseoffice@ivmchemicals.com
- · Emergency telephone number: ChemTel Expert Assistance Hotline/MSDS Fax Access by dialing 1-800-255-3924 or for International +1-813-248-0585.

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

· GHS label elements Not applicable

- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



Health = 0

Reactivity = 0

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous components:

57-55-6 propane-1,2-diol

(Contd. on page 2)

5-9.99%



Version number 37

Reviewed on 08/01/2019

Product number PD603

Printing date 08/01/2019

Trade name: WB STAIN COLORANT-YELLOW OXIDE

(Contd. of page 1)

4 First-aid measures

· Description of first aid measures

- · General information:
- No special measures required.

personal protective equipment for first aid responders is recommended. (please see section 8)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
 - Most important symptoms and effects, both acute and delayed For symptoms and effects caused by substances, refer to Section 11. No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

• PAC-1:	
57-55-6 propane-1,2-diol	30 mg/m ³
· PAC-2:	
57-55-6 propane-1,2-diol	1,300 mg/m ³
· PAC-3:	
57-55-6 propane-1,2-diol	7,900 mg/m ³
	100

(Contd. on page 3)



Version number 37

Reviewed on 08/01/2019

Product number PD603

Printing date 08/01/2019

Trade name: WB STAIN COLORANT-YELLOW OXIDE

(Contd. of page 2)

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
 - Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date , it means that the product must be used within 8 months.

- Take on temperature greater than 5 ° C
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

• Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

57-55-6 propane-1,2-diol

WEEL (USA) Long-term value: 10 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
 - · General protective and hygienic measures:
 - The usual precautionary measures for handling chemicals should be followed.
 - · Breathing equipment: Not required.
 - · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

(Contd. of page 3)



Safety Data Sheet acc. to OSHA HCS

Version number 37

Reviewed on 08/01/2019

Product number PD603

Printing date 08/01/2019

Trade name: WB STAIN COLORANT-YELLOW OXIDE

· Information on basic physical and chemical properties

9 Physical and chemical properties

None of the ingredients is listed.

· Other information

· General Information	r chemical properties
· Appearance:	
· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
 Melting point/Melting range: 	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	101 °C (213.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	371 °C (699.8 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	2.6 Vol %
· Upper:	12.6 Vol %
· Vapor pressure at 20 °C (68 °F):	0.1 hPa (0.1 mm Hg)
• Density (+/- 0,03) at 20 •C (68 •F):	1.269 g/cm³ (10.59 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
• <i>Kinematic at 20</i> • <i>C</i> (68 • <i>F</i>):	40 s (ISO 4 mm)
· Oxidising properties:	N.A.
· Solvent content:	
· Water:	50.0 %
· VOC content:	5.00 %
	63.5 g/l / 0.53 lb/gal
· Solids content:	45.0 %
· Other information (HAPS)	No further relevant information available.
Name of the increation to listed	

No further relevant information available.

(Contd. on page 5)



Version number 37

Reviewed on 08/01/2019

Product number PD603

Printing date 08/01/2019

Trade name: WB STAIN COLORANT-YELLOW OXIDE

(Contd. of page 4)

10 Stability and reactivity

· Reactivity typical of the product as indicated in the data sheet

- Chemical stability The product is stable in normal conditions of storage and use recommended • Thermal decomposition / conditions to be avoided:
 - No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

57-55-6 propane-1,2-diol

Oral LD50 20,000 mg/kg (mouse)

Dermal LD50 2,001 mg/kg (mouse)

- Primary irritant effect:
 - on the skin: No irritant effect.
 - · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

 $\begin{array}{c|c} \cdot \textbf{Toxicity} \\ \hline & Aquatic \ toxicity: \\ \hline \textbf{57-55-6 \ propene-1,2-diol} \\ \hline & EC50 & 19,000 \ mg/l \ (algae) \ (48 \ h) \\ & 18,340 \ mg/l \ (daphnia) \ (48 \ h) \\ & LC50 \ (96h) & 40,613 \ mg/l \ (Fish) \\ \hline & \textbf{Persistence and degradability } No \ further \ relevant \ information \ available. \\ \hline & \textbf{Substances Easily biodegradable} \\ \hline & \textbf{57-55-6 \ propene-1,2-diol} \end{array}$

Version number 37

Reviewed on 08/01/2019

Product number PD603

Printing date 08/01/2019

Trade name: WB STAIN COLORANT-YELLOW OXIDE

(Contd. of page 5)

- · Behavior in environmental systems:
 - *Bioaccumulative potential* No further relevant information available. • *Mobility in soil* No further relevant information available.
- · Additional ecological information:
 - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste. Hand over to hazardous waste disposers. Dispose of contents and container in accordance with local state and federal regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
· DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable	
Packing group		
· DOT, IMDĠ, IATA	Not applicable	
Environmental hazards:		
• Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	(II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

ICS



Printing date 08/01/2019

Version number 37

Reviewed on 08/01/2019

Product number PD603

Trade name: WB STAIN COLORANT-YELLOW OXIDE

(Contd. of page 6)

· Section 313 (Specific toxic chemical listings) :

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: IVM Chemicals Srl

· Contact: See emergency phone

- · Date of preparation / last revision 08/01/2019 / 36
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- · Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

(Contd. on page 8)

coatings & polymers technologies

Printing date 08/01/2019

Safety Data Sheet acc. to OSHA HCS

Version number 37

Reviewed on 08/01/2019

Product number PD603 Trade name: WB STAIN COLORANT-YELLOW OXIDE

> Agency ECHA web site INRS Fiche Toxicologique IARC International agency for research on cancer

(Contd. of page 7)